# Declaraci n Conjunta 2020/2021 de la ISHNE/ HRS/ EHRA/ APHRS sobre el manejo de Arritmias mediante mHealth: Herramientas M dicas Digitales para Especialistas en Electrocardiolog a

## BIBLIOGRAF A

*Italicized Bibliografía below refer to citations in expanded Seccións in the full document available in English (open access) in Annals of Non-Invasive Electrocardiology (https://doi.org/10.1111/anec.12795) or Circulation Arrhythmia and Electrophysiology (https://doi.org/10.1002/joa3.12461).*

### Bibliograf a Secci n 1

#### 1.1


Abraham WT, Adamson PB, Bourge RC, Aaron MF, Costanzo MR, Stevenson LW, et al. Wireless pulmonary artery haemodynamic monitoring in chronic heart failure: a randomised controlled trial. Lancet 2011;377:658-66. https://doi.org/10.1016/S0140-6736(11)60101-3

Chung MK, Eckhardt LL, Chen LY, Ahmed HM, Gopinathannair R, Joglar JA, et al. American Heart Association Electrocardiography and Arrhythmias Committee and Exercise, Cardiac Rehabilitation, and Secondary Prevention Committee of the Council on Clinical Cardiology; Council on Arteriosclerosis, Thrombosis and Vascular Biology; Council on Cardiovascular and Stroke Nursing; and Council on Lifestyle and Cardiometabolic Health. Lifestyle and Risk Factor Modification for Reduction of Atrial Fibrillation: A Scientific Statement From the American Heart Association. Circulation 2020;141:e750-72. https://doi.org/10.1161/CIR.0000000000000748.

Hindricks G, Taborsky M, Glikson M, Heinrich U, Schumacher B, Katz A, et al. IN-TIME study group. Implant-based multiparameter telemonitoring of patients with heart failure (IN-TIME): a randomised controlled trial. Lancet 2014:384:583-90. https://doi.org/10.1016/S0140-6736(14)61176-4

Slotwiner DJ, Abraham RL, Al-Khatib SM, Anderson HV, Bunch TJ, Ferrara MG. HRS White Paper on interoperability of data from cardiac implantable electronic devices (CIEDs). Heart Rhythm 2019;16:e107-27. https://doi.org/10.1016/j.hrthm.2019.05.002.

Turakhia MP, Desai S.A, Harrington RA. The Outlook of Digital Health for Cardiovascular Medicine: Challenges but Also Extraordinary Opportunities. JAMA Cardiol 2016;1:743-4. https://doi.org/10.1001/Journal of the American Medical Associationcardio.2016.2661.

Varma N, Epstein AE, Irimpen A, Schweikert R, Love C. Efficacy and Safety of Automatic Remote Monitoring for Implantable Cardioverter-Defibrillator Follow-Up. Circulation 2010;122:325-32. https://doi.org/10.1161/CIRCULATIONAHA.110.937409

Varma N & Ricci RP. Telemedicine and cardiac implants: what is the benefit? Eur Heart J 2013;34:1885-95. https://doi.org/10.1093/eurheartj/ehs388.

Varma N, Marrouche NF, Aguinaga L, Albert CM, Arbelo E, Choi JI, et al. HRS/EHRA/APHRS/LAHRS/ACC/AHA Worldwide Practical Guidance for Telehealth and Arrhythmia Monitoring During and After a Pandemic. J Am Coll Cardiol 2020:S0735-1097(20)35623-0. https://doi.org/10.1016/j.jacc.2020.06.019. Online ahead of print. https://www.fcc.gov/general/five-questions-you-can-ask-your-doctor-about-digital-health#ab

World Health Organization. mHealth: Use of appropriate digital technologies for public health. Switzerland, 2018. Available at: https://apps.who.int/gb/ebwha/pdf_files/WHA71/A71_20-en.pdf?ua=1 Accessed 22 July 2020.


### Bibliograf a Secci n 2

#### 2.1.


Ciconte G, Saviano M, Giannelli L, Calovic Z, Baldi M, Ciaccio C, et al. Atrial fibrillation detection using a novel three-vector cardiac implantable monitor: the atrial fibrillation detect study. Europace 2017;19:1101-8. https://doi.org/10.1093/europace/euw181.

Hindricks G, Pokushalov E, Urban L, Taborsky M, Kuck KH, Lebedev D, et al. XPECT Trial Investigators. Performance of a new leadless implantable cardiac monitor in detecting and quantifying atrial fibrillation: Results of the XPECT trial. Circulation Arrhyth Electrophysiol 2010;3:141-7. https://doi.org/10.1161/circep.109.877852.

Mittal S, RogersJ, Sarkar S, Koehler J, Warman EN, Tomson TT, Passman RS. Real-world performance of an enhanced atrial fibrillation detection algorithm in an insertable cardiac monitor. Heart Rhythm 2016;13:1624-30. https://doi.org/10.1016/j.hrthm.2016.05.010

Musat DL, Milstein N, Mittal S. Implantable Loop Recorders for Cryptogenic Stroke (Plus Real-World Atrial Fibrillation Detection Rate with Implantable Loop Recorders). Cardiac Electrophysiol Clin 2017;10:111-8. https://doi.org/10.1016/j.ccep.2017.11.011.

Nölker G, Mayer J, Boldt LH, Seidl K, Van Driel V, Massa T, et al. Performance of an Implantable Cardiac Monitor to Detect Atrial Fibrillation: Results of the DETECT AF Study. J Cardiovasc Electrophysiol 2016;27:1403-10. https://doi.org/10.1111/jce.13089.

Sakhi R, Theuns DA, Szili-Torok T, Yap SC. Insertable cardiac monitors: current indications and devices. Expert Rev MedDevices 2019;16:45-55. https://doi.org/10.1080/17434440.2018.1557046.

Sanders P, Purerfellner H, Pokushalov E, Sarkar S, Di Bacco M, Maus B, et al. Reveal LINQ Usability Investigators. Performance of a new atrial fibrillation detection algorithm in a miniaturized insertable cardiac monitor: Results from the Reveal LINQ Usability Study. Heart Rhythm 2010;13:1425-30. https://doi.org/10.1016/j.hrthm.2016.03.005.

Steinberg JS, Varma N, Cygankiewicz I, Aziz P, Balsam P, Baranchuk A, et al. ISHNE-HRS expert consensus statement on ambulatory ECG and external cardiac monitoring/telemetry. Ann Noninvasive Electrocardiol 2017;22:e12447 https://doi.org/10.1111/anec.12447.

Tomson TT & Passman R. The Reveal LINQ insertable cardiac monitor. Expert Rev Med Devices 2015;12:7-18. https://doi.org/10.1586/17434440.2014.95305910.1586/17434440.2014.953059

## 2.2

Varma N, Marrouche NF, Aguinaga L, Albert CM, Arbelo E, Choi JI, et al. HRS/EHRA/APHRS/LAHRS/ACC/AHA Worldwide Practical Guidance for Telehealth and Arrhythmia Monitoring During and After a Pandemic. J Am Coll Cardiol 2020;76:1363-74. https://doi.org/10.1016/j.jacc.2020.06.019.

## 2.2.1.1

Desteghe L, Raymaekers Z, Lutin M, Vijgen J, Dilling-Boer D, Koopman P, et al. Performance of handheld electrocardiogram devices to detect atrial fibrillation in a cardiology and geriatric ward setting. Europace 2017;19:29-39. https://doi.org/10.1093/europace/euw025.

Doliwa PS, Frykman V, Rosenqvist M. Short-term ECG for out of hospital detection of silent atrial fibrillation episodes. Scand Cardiovasc J 2009;43:163-8. https://doi.org/10.1080/14017430802593435.

Hendrikx T, Rosenqvist M, Wester P, Sandstrom H, Hornsten R. Intermittent short ECG recording is more effective than 24-hour Holter ECG in detection of arrhythmias. BMC Cardiovasc Disord 2014;14:41. https://doi.org/10.1186/1471-2261-14-41.

Kaasenbrood F, Hollander M, Rutten FH, Gerhards LJ, Hoes AW, Tieleman RG. Yield of screening for atrial fibrillation in primary care with a hand-held, single-lead electrocardiogram device during influenza vaccination. Europace 2016;18:1514-20. https://doi.org/10.1093/europace/euv426

Poulsen MB, Binici Z, Dominguez H, Soja AM, Kruuse C, Hornnes AH. Performance of short ECG recordings twice daily to detect paroxysmal atrial fibrillation in stroke and transient ischemic attack patients. Int J Stroke 12:192-6. https://doi.org/10.1177/1747493016669883.

Svennberg E, Stridh M, Engdahl J, Al-Khalili F, Friberg L, Frykman V, Rosenqvist M. Safe automatic one-lead electrocardiogram analysis in screening for atrial fibrillation. Europace 2017;19:1449-53. https://doi.org/10.1093/europace/euw286.

Tavernier R, Wolf M, Kataria V, Phlips T, Huys R, Taghji P, et al. Screening for atrial fibrillation in hospitalised geriatric patients. Heart 2018;104:588-93. https://doi.org/10.1136/heartjnl-2017-311981.

Tieleman RG, Plantinga Y, Rinkes D, Bartels GL, Posma JL, Cator R, et al. Validation and clinical use of a novel diagnostic device for screening of atrial fibrillation. Europace 2014:16:1291-5. https://doi.org/10.1093/europace/euu057.

Vaes B, Stalpaert S, Tavernier K, Thaels B, Lapeire D, Mullens W, Degrys J. The diagnostic accuracy of the MyDiagnostick to detect atrial fibrillation in primary care. BMC Fam Pract 2014;15:113. https://doi.org/10.1186/1471-2296-15-113.

## 2.2.1.2.

Barrett PM, Komatireddy R, Haaser S, Topol S, Sheard J, Encinas J, et al. Comparison of 24-hour Holter monitoring with 14-day novel adhesive patch electrocardiographic monitoring. Am J Med 2014;127:95.e11-7. https://doi.org/10.1016/j.amjmed.2013.10.003.

Rooney MR, Soliman EZ, Lutsey PL, Norby FL, Loehr LR, Mosley TH, et al. Prevalence and Characteristics of Subclinical Atrial Fibrillation in a Community-Dwelling Elderly Population: The ARIC Study. Circ Arrhyth Electrophysiol 2019;12:e007390. https://doi.org/10.1161/CIRCEP.119.007390.

*Rosenberg MA, Samuel M, Thosani A, Zimetbaum PJ. Use of a noninvasive continuous monitoring device in the management of atrial fibrillation: a pilot study. Pacing Clin Electrophysiol 2013;36:328-33. https://doi.org/10.1111/pace.12053*

*Stehlik J, Schmalfuss C, Bozkurt B, Nativi-Nicolau J, Wohlfahrt P, Wegerich S. Continuous Wearable Monitoring Analytics Predict Heart Failure Hospitalization: The LINK-HF Multicenter Study. Circ Heart Fail 2020;13:e006513. https://doi.org/10.1161/CIRCHEARTFAILURE.119.006513.*

Turakhia MP, Hoang DD, Zimetbaum P, Miller JD, Froelicher VF, Kumar UN, et al. Diagnostic utility of a novel leadless arrhythmia monitoring device. Am J Cardiol 2013;112:520-4, https://doi.org/10.1016/j.amjcard.2013.04.017.

*Turakhia MP, Ullal AJ, Hoang DD, Than CT, Miller JD, Friday KJ, et al. Feasibility of extended ambulatory electrocardiogram monitoring to identify silent atrial fibrillation in high-risk patients: the Screening Study for Undiagnosed Atrial Fibrillation (STUDY-AF). Clin Cardiol 2015;38:285-92. https://doi.org/10.1002/clc.22387.*

## 2.2.1.3

Elliot CA, Hamlin MJ, Lizamore, CA. Validity and Reliability of the Hexoskin Wearable Biometric Vest During Maximal Aerobic Power Testing in Elite Cyclists. J Strength Cond Res 2019;33:1437-44. https://doi.org/10.1519/JSC.0000000000002005.

Eysenck W, Freemantle N, Sulke N. A randomized trial evaluating the accuracy of AF detection by four external ambulatory ECG monitors compared to permanent pacemaker AF detection. J IntervCardiac Electrophysiol 2019;57:361-9. https://doi.org/10.1007/s10840-019-00515-0.

Fabregat-Andres O, Munoz-Macho A, Adell-Beltran G, Ibanez-Catala X, Macia A, Facila L, et al. Evaluation of a New Shirt-Based Electrocardiogram Device for Cardiac Screening in Soccer Players: Comparative Study With Treadmill Ergospirometry. Cardiol Res 2014;5:101-7. https://doi.org/10.14740/cr333w.

Feito Y, Moriarty TA, Mangine G, Monahan J. The use of a smart-textile garment during high-intensity functional training: a pilot study. J Sports Med Phys Fitness 2019;59:947-54. https://doi.org/10.23736/S0022-4707.18.08689-9.

Pagola J, Juega J, Francisco-Pascual J, Moya A, Sanchis M., Bustamante A, et al. CryptoAF investigators. Yield of atrial fibrillation detection with Textile Wearable Holter from the acute phase of stroke: Pilot study of Crypto-AF registry. Int J Cardiol 2018;251:45-50. https://doi.org/10.1016/j.ijcard.2017.10.063.

## 2.2.1.4.

Bumgarner JM, Lambert CT, Hussein AA, Cantillon DJ, Baranowski B, Wolski K, et al. Smartwatch Algorithm for Automated Detection of Atrial Fibrillation. J Am Coll Cardiol 2018;71:2381-8. https://doi.org/10.1016/j.jacc.2018.03.003.

*ChanPH, Wong CK, Poh YC, Pun L, Leung WW, Wong YF. et al. Diagnostic Performance of a Smartphone-Based Photoplethysmographic Application for Atrial Fibrillation Screening in a Primary Care Setting. J Am Heart Assoc 2016;5:e003428. https://doi.org/10.1161/JAHA.116.003428*

Chan PH, Wong CK, Pun L, Wong YF, Wong MM, Chu DW, et al Siu, et al. Head-to-Head Comparison of the AliveCor Heart Monitor and Microlife WatchBP Office AFIB for Atrial Fibrillation Screening in a Primary Care Setting. Circulation 2017;135:110-2. https://doi.org/10.1161/circulationaha.116.024439

Chung EH, Guise KD. QTC intervals can be assessed with the AliveCor heart monitor in patients on dofetilide for atrial fibrillation. J Electrocardiol 2015;48:8-9. https://doi.org/10.1016/j.jelectrocard.2014.10.005.

*Desteghe L, Raymaekers Z, Lutin M, Vijgen J, Dilling-Boer D, Koopman P. Performance of handheld electrocardiogram devices to detect atrial fibrillation in a cardiology and geriatric ward setting. Europace 2017;19:29-39, https://doi.org/10.1093/europace/euw025.*

Garabelli P, Stavrakis S, Albert M, Koomson E, Parwani P, Chohan J, et al. Comparison of QT Interval Readings in Normal Sinus Rhythm Between a Smartphone Heart Monitor and a 12-Lead ECG for Healthy Volunteers and Inpatients Receiving Sotalol or Dofetilide. J Cardiovasc Electrophysiol 2016;27:827-32. https://doi.org/10.1111/jce.12976.

*Halcox JP, Wareham K, Cardew A, Gilmore M, Barry JP, Phillips C, et al. Assessment of Remote Heart Rhythm Sampling Using the AliveCor Heart Monitor to Screen for Atrial Fibrillation: The REHEARSE-AF Study. Circulation 2017;136:1784-94. https://doi.org/10.1161/circulationaha.117.030583.*

*Lowres N, Neubeck L, Salkeld G, Krass I, McLachlan AJ, Redfern J, et al.Feasibility and cost-effectiveness of stroke prevention through community screening for atrial fibrillation using iPhone ECG in pharmacies. The SEARCH-AF study. Thromb Haemost 2014;111:1167-76. https://doi.org/10.1160/th14-03-0231.*

Koltowski L, Balsam P, Glowczynska R, Rokicki JK, Peller M, Maksym J, et al. Kardia Mobile Applicability in Clinical Practice: A Comparison of Kardia Mobile and Standard 12-lead Electrocardiogram Records in 100 Consecutive Patients of a Tertiary Cardiovascular Care Center. Cardiol J 2019 Jan 15 https://doi.org/10.5603/CJ.a2019.0001. (online ahead of print)

*Tarakji KG, Wazni OM, Callahan T, Kanj M, Hakim AH, Wolski, K, et al. Using a novel wireless system for monitoring patients after the atrial fibrillation ablation procedure: the iTransmit study. Heart Rhythm 2015;12:554-9. https://doi.org/10.1016/j.hrthm.2014.11.015.*

Varma N, Marrouche NF, Aguinaga L, Albert CM, Arbelo E, Choi JI, et al. HRS/EHRA/APHRS/LAHRS/ACC/AHA Worldwide Practical Guidance for Telehealth and Arrhythmia Monitoring During and After a Pandemic. J Am Coll Cardiol 2020 Jun 10:S0735-1097(20)35623-0. https://doi.org/10.1016/j.jacc.2020.06.019. (online ahead of print).
https:supportapple/en/HT208931
https://apple.com/healthcare/doc/site/apple watch arrhythmia detection
https://cardiacrhythmnews.com/kardiamobile-6l-can-be-used-to-measure-qt-duration-in-covid-19-

## 2.2.2
## 2.2.2.1

Conroy T, Guzman JH, Hall B, Tsouri G, Couderc JP. Detection of atrial fibrillation using an earlobe photoplethysmographic sensor. Physiol Meas 2017;38:1906-18. https://doi.org/10.1088/1361-6579/aa8830.

Choi A, Shin H. Photoplethysmography sampling frequency: pilot assessment of how low can we go to analyze pulse rate variability with reliability? Physiol Meas 2017;38:586-600. https://doi.org/10.1088/1361-6579/aa5efa

Dörr M, Nohturfft V, Brasier N, Bosshard E, Djurdjevic A, Gross S, et al. The WATCH AF Trial: SmartWATCHes for Detection of Atrial Fibrillation. J Am Coll Cardiol Clin Electrophysiol 2019;5:199-208. https://doi.org/10.1016/j.jacep.2018.10.006.

Guo Y, Wang H, Zhang H, Liu T, Liang Z, Xia Y, et al. MAFA II Investigators. Mobile Photoplethysmographic Technology to Detect Atrial Fibrillation. J Am Coll Cardiol;74:2365-75. https://doi.org/10.1016/j.jacc.2019.08.019.

McManus DD, Lee J, Maitas O, Esa N, Pidikiti R, Carlucci A, et al. A novel application for the detection of an irregular pulse using an iPhone 4S in patients with atrial fibrillation. Heart Rhythm 2013;10:315-9. https://doi.org/10.1016/j.hrthm.2012.12.001.

McManus DD, Chong JW, Soni A, Saczynski JS, Esa N, Napolitano C, et al. PULSE-SMART: Pulse-Based Arrhythmia Discrimination Using a Novel Smartphone Application. J Cardiovasc Electrophysiol 2016;27:51-7. https://doi.org/10.10.1111/jce.12842.

Nemati S, Ghassemi MM, Ambai V, Isakadze N, Levantsevych O, Shah A, Clifford GD. Annu Int Conf IEEE Eng Med Biol Soc 2016:3394-7. https://doi.org/10.1109/embc.2016.7591456.

Proesmans T, Mortelmans C, Van Haelst R, Verbrugge F, Vandervoort P, Vaes B. Mobile Phone-Based Use of the Photoplethysmography Technique to Detect Atrial Fibrillation in Primary Care: Diagnostic Accuracy Study of the FibriCheck App. JMIR Mhealth Uhealth 2019;27:e12284. https://doi.org/10.2196/12284.

Verbrugge FH, Proesmans T, Vijgen J, Mullens W, Rivero-Ayerza, M, Van Herendael H, et al. Atrial fibrillation screening with photo-plethysmography through a smartphone camera. Europace 2019;21:1167-75. https://doi.org/10.1093/europace/euz119.

https://www.mobihealthnews.com/content/study-apple-watch-paired-deep-neural-network-detects-atrial-fibrillation-97-percent-accuracy ; https:mrhythmstudy.org

**2.2.2.2.**

Chan PH, Wong CK, Pun L, Wong YF, Wong MM, et al. Head-to-Head Comparison of the AliveCor Heart Monitor and Microlife WatchBP Office AFIB for Atrial Fibrillation Screening in a Primary Care Setting. Circulation 2017;135:110-2. https://doi.org/10.1161/CIRCULATIONAHA.116.024439

Chen Y, Lei L, Wang JG. Atrial fibrillation screening during automated blood pressure measurement-Comment on "Diagnostic accuracy of new algorithm to detect atrial fibrillation in a home blood pressure monitor". J Clin Hypertens (Greenwich) 2017;19:1148-51. https://doi.org/10.1111/jch.13081.

Gandolfo C, Balestrino M, Bruno C, Finocchi C, Reale N. Validation of a simple method for atrial fibrillation screening in patients with stroke. Neurol Sci 2015;36:1675-8. https://doi.org/10.1007/s10072-015-2231-0.

Kane SA, Blake JR, McArdle FJ, Langley F, Sims AJ. Opportunistic detection of atrial fibrillation using blood pressure monitors: a systematic review. Open Heart 2016;3:e000362.

Kario K. Evidence and Perspectives on the 24-hour Management of Hypertension: Hemodynamic Biomarker-Initiated 'Anticipation Medicine' for Zero Cardiovascular Event. Prog Cardiovasc Dis 2016; 59:262-81. https://doi.org/10.1016/j.pcad.2016.04.001.

Kearley K, Selwood M, Van den Bruel A, Thompson M, Mant D, Hobbs FR, et al. Triage tests for identifying atrial fibrillation in primary care: a diagnostic accuracy study comparing single-lead ECG and modified BP monitors. Br Med J Open 2014;4:e004565, https://doi.org/10.1136/bmjopen-2013-004565.

Marazzi G, Iellamo F, Volterrani M, Lombardo M, Pelliccia F, Righi D Grieco F, et al. Comparison of Microlife BP A200 Plus and Omron M6 blood pressure monitors to detect atrial fibrillation in hypertensive patients. Adv Ther 2012;29:64-70, https://doi.org/10.1007/s12325-011-0087-0.

Omboni S, Verberk WJ. Opportunistic screening of atrial fibrillation by automatic blood pressure measurement in the community. Br Med J Open 2016;6:e010745. https://doi.org/10.1136/bmjopen-2015-010745.

Wiesel J, Arbesfeld B, Schechter D. Comparison of the Microlife blood pressure monitor with the Omron blood pressure monitor for detecting atrial fibrillation. Am J Cardiol 2014;114:1046-8, https://doi.org/10.1016/j.amjcard.2014.07.016.

Wiesel J, Fitzig L, Herschman Y, Messineo FC. Detection of atrial fibrillation using a modified microlife blood pressure monitor. Am J Hypertens2009;22:848-52. https://doi.org/10.1038/ajh.2009.98.

Wiesel J, Salomone TJ- Screening for Atrial Fibrillation in Patients >/=65 Years Using an Automatic Blood Pressure Monitor in a Skilled Nursing Facility. Am J Cardiol 2017;120:1322-4. https://doi.org/10.1016/j.amjcard.2017.07.016.

**2.2.2.3**

Jaakkola J, Jaakkola S, Lahdenoja O, Hurnanen T, Koivisto T, Pankaala M, et al.Mobile Phone Detection of Atrial Fibrillation With Mechanocardiography: The MODE-AF Study (Mobile Phone Detection of Atrial Fibrillation). Circulation 2018;137:1524-7. https://doi.org/10.1161/circulationaha.117.032804.

**2.2.2.4.**

Couderc JP, Kyal S, Mestha LK, Xu B, Peterson DR, Xia X, et al. Detection of atrial fibrillation using contactless facial video monitoring. Heart Rhythm 2015;12:195-201. https://doi.org/10.1016/j.hrthm.2014.08.035

Dautov R, Savur C, Tsouri G. On the Effect of Face Detection on Heart Rate Estimation in Videoplethysmography. IEEE Western New York Image and Signal Processing Workshop (WNYISPW).2018. https://doi.org/10.1109/wnyipw.2018.8576439.

Takano C, Ohta Y. Heart rate measurement based on a time-lapse image. Med Eng Phys 2007;29:853-7. https://doi.org/10.1016/j.medengphy.2006.09.006

Tsouri GR, Li Z. On the benefits of alternative color spaces for noncontact heart rate measurements using standard red-green-blue cameras. J Biomed Opt 2015;20:048002. https://doi.org/10.1117/1.JBO.20.4.048002

Turakhia MP. Diagnosing With a Camera From a Distance-Proceed Cautiously and Responsibly. JAMA Cardiol 2020;5:107. https://doi.org/10.1001/jamacardio.2019.4572. [Epub ahead of print]

Verkruysse W, Svaasand LO, Nelson JS. Remote plethysmographic imaging using ambient light. Opt Express 2008;16:21434-45. https://doi.org/10.1364/oe.16.021434

Yan BP, Lai WH, Chan CK, Au AC, Freedman B, Poh YC, Poh MZ. High-Throughput, Contact-Free Detection of Atrial Fibrillation From Video With Deep Learning. JAMA Cardiol 2020;5:107. https://doi.org/10.1001/jamacardio.2019.4004

Yan BP, Lai WH , Chan CK, Chan SC, Chan LH, Lam KM, et al. Contact-Free Screening of Atrial Fibrillation by a Smartphone Using Facial Pulsatile Photoplethysmographic Signals. J Am Heart Assoc 2018;5:e008585. https://doi.org/10.1161/JAHA.118.008585.

**2.2.2.5**

Chan J, Rea T, Gollakota S, Sunshine JE. Contactless cardiac arrest detection using smart devices. NPJ Dig Med 2019;2:52 https://doi.org/10.1038/s41746-019-0128-7

*Wang, A., Sunshine, J.E., Gollakota, S. Contactless Infant Monitoring using White Noise https://homes.cs.washington.edu/~gshyam/Papers/whitenoise.pdf*

## Bibliograf a Secci n 3

Gropler MR, Dalal AS, Van Hare GF, Silva JN. Can smartphone wireless ECGs be used to accurately assess ECG intervals in pediatrics? A comparison of mobile health monitoring to standard 12-lead ECG. PLoS One 2018;13:e0204403. https://doi.org/10.1371/journal.pone.0204403

Steinberg JS, Varma N, Cygankiewicz I, Aziz P, Balsam P, Baranchuk A, et al. 2017 ISHNE-HRS expert consensus statement on ambulatory ECG and external cardiac monitoring/telemetry. Ann Noninvasive Electrocardiol 2017;22:e12447. https://doi.org/10.1111/anec.12447.

### 3.1

*Boriani G, Laroche C, Diemberger I, Fantecchi E, Popescu MI, Rasmussen LH, et al. Asymptomatic atrial fibrillation: clinical correlates, management, and outcomes in the EORP-AF Pilot General Registry. Am J Med 2015;128,509-518.e2. https://doi.org/10.1016/j.amjmed.2014.11.026*

*Garimella RS, Chung EH, Mounsey JP, Schwartz JD, Pursell I, Gehi AK. Accuracy of patient perception of their prevailing rhythm: a comparative analysis of monitor data and questionnaire responses in patients with atrial fibrillation. Heart Rhythm 2015;12:658-65. https://doi.org/10.1016/j.hrthm.2015.01.012*

*McCabe PJ, Chamberlain AM, Rhudy L, DeVon HA. Symptom Representation and Treatment-Seeking Prior to Diagnosis of Atrial Fibrillation. Western J Nurs Res 2015;38:200-15. https://doi.org/10.1177/0193945915570368*

*Strickberger SA, Ip J, Saksena S, Curry K, Bahnson TD, Ziegler PD. Relationship between atrial tachyarrhythmias and symptoms. Heart Rhythm 2005;2:125-31.*

*Verma A., Champagne J, Sapp J, Essebag V, Novak P, Skanes A, et al. Discerning the incidence of symptomatic and asymptomatic episodes of atrial fibrillation before and after catheter ablation (DISCERN AF): a prospective, multicenter study. JAMA Intern Med 2013;173:149-56. https://doi.org/10.1001/jamainternmed.2013.1561.*

*Wong JA, Conen D, Van Gelder I, McIntyre WF, Crijns HJ, Wang J, et al. Progression of device-detected subclinical atrial fibrillation and the risk of heart failure. J Am CollCardiol 2018;71:2603-11 https://doi.org/10.1016/j.jacc.2018.03.519.*

### 3.1.1.

*Charitos EI, Stierle U, Ziegler PD, Baldewig M, Robinson DR, Sievers HH, et al. A comprehensive evaluation of rhythm monitoring strategies for the detection of atrial fibrillation recurrence: insights from 647 continuously monitored patients and implications for monitoring after therapeutic interventions. Circulation 2012;126,:806-14. https://doi.org/10.1161/CIRCULATIONAHA.112.098079.*

*Ding M, Qiu C. Atrial Fibrillation, Cognitive Decline, and Dementia: an Epidemiologic Review. Curr Epidemiol Rep 2018;5:252-61. https://doi.org/10.1007/s40471-018-0159-7.*

Freedman B, Potpara TS, Lip GY. Stroke prevention in atrial fibrillation. Lancet 2016;388:806-17. https://doi.org/10.1016/S0140- 6736(16)31257-0.

Freedman B, Camm J, Calkins H, Healey JS, Rosenqvist M, Wang J, et al. Screening for Atrial Fibrillation: A Report of the AF-SCREEN International Collaboration. Circulation 2017;135:1851-67. https://doi.org/10.1161/CIRCULATIONAHA.116.026693

Friberg L, Rosenqvist M. Less dementia with oral anticoagulation in atrial fibrillation. Eur Heart J 2018;39:453-60. https://doi.org/10.1093/eurheartj/ehx579.

Friberg L, Rosenqvist M, Lindgren A, Terént A, Norrving B, Asplund K. High prevalence of atrial fibrillation among patients with ischemic stroke. Stroke 2014;45:2599-605. https://doi.org/10.1161/STROKEAHA.114.006070.

Giebel GD, Gissel C. Accuracy of mHealth Devices for Atrial Fibrillation Screening: Systematic Review. JMIR Mhealth Uhealth 2019;7:e13641. https://doi.org/10.2196/13641.

Gudmundsdottir K, Fredriksson T, Svennberg E, Al-Khalili F, Friberg L, Frykman V, et al. Stepwise mass screening for atrial fibrillation using N-terminal B-type natriuretic peptide: the STROKESTOP II study. Europace 2020;22:24-32. https://doi.org/10.1093/europace/euz255.

January CT, Wann LS, Calkins H, Chen LY, Cigarroa JE, Cleveland JC Jr. 2019 AHA/ACC/HRS Focused Update of the 2014 AHA/ACC/HRS Guideline for the Management of Patients With Atrial Fibrillation: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines and the Heart Rhythm Society in Collaboration With the Society of Thoracic Surgeons. Circulation 2019;140:e125-e151. https://doi.org/10.1161/CIR.0000000000000665.

Jonas DE, Kahwati LC, Yun JD, Middleton JC, Coker-Schwimmer M, Asher GN.Screening for Atrial Fibrillation With Electrocardiography: Evidence Report and Systematic Review for the US Preventive Services Task Force. JAMA 2018;320:485-98. https://doi.org/10.1001/jama.2018.4190.

*Kirchhof P, Benussi S, Kotecha D, Ahlsson A, Atar D, Casadei B, et al. 2016 ESC Guidelines for the management of atrial fibrillation developed in collaboration with EACTS: The Task Force for the management of atrial fibrillation of the European Society of Cardiology (ESC) Developed with the special contribution of the European Heart Rhythm Association (EHRA) of the ESC. Endorsed by the European Stroke Organisation (ESO). Eur Heart J 2016;37:2893-62. https://doi.org/10.1093/eurheartj/ehw210.*

Lowres N, Olivier J, Chao TF, Chen SA, Chen Y, Diederichsen A, et al. Estimated stroke risk, yield, and number needed to screen for atrial fibrillation detected through single time screening: a multicountry patient-level meta-analysis of 141,220 screened individuals. PLoS Med 2019;16:e1002903. https://doi.org/10.1371/journal.pmed.1002903. eCollection 2019 Sep

Martinez C, Katholing A, Freedman SB. Adverse prognosis of incidentally detected ambulatory atrial fibrillation. A cohort study. Thromb Haemost 2014;112:276-86.

*Orchard JJ, Neubeck L, Freedman B, Webster R, Patel A, Gallagher R, et al. Atrial Fibrillation Screen, Management And Guideline Recommended Therapy (AF SMART II) in the rural primary care setting: an implementation study protocol. Br Med J Open 2018;8:e023130. https://doi.org/10.1136/bmjopen-2018-023130.*

O'Sullivan JW, Grigg S, Crawford W, Turakhia MP, Perez M, Ingelsson E, et al. Accuracy of Smartphone Camera Applications for Detecting Atrial Fibrillation: A Systematic Review and Meta-analysis. JAMA Netw Open 2020; 3:e202064. https://doi.org/10.1001/jamanetworkopen.2020.2064.

*Ramkumar S, Nerlekar N, D'Souza D, Pol DJ, Kalman JM, Marwick TH. Atrial fibrillation detection using single lead portable electrocardiographic monitoring: a systematic review and meta-analysis. Br Med J Open 2018;8:e024178. https://doi.org/10.1136/bmjopen-2018-024178.*

Steinhubl SR, Waalen J, Edwards AM, Ariniello LM, Mehta RR, Ebner GS, et al. Effect of a Home-Based Wearable Continuous ECG Monitoring Patch on Detection of Undiagnosed Atrial Fibrillation: The mSToPS Randomized Clinical Trial. JAMA 2018;320:146-55. https://doi.org/10.1001/jama.2018.8102

Svennberg E, Engdahl J, Al-Khalili F, Friberg L, Frykman V, Rosenqvist M. Mass Screening for Untreated Atrial Fibrillation: The STROKESTOP Study. Circulation 2015;131:2176-84 https://doi.org/10.1161/CIRCULATIONAHA.114.014343

Tsivgoulis G, Katsanos AH, Köhrmann M, Caso V, Perren F, Palaiodimou L, et al. Duration of Implantable Cardiac Monitoring and Detection of Atrial Fibrillation in Ischemic Stroke Patients: A Systematic Review and Meta-Analysis. J Stroke 2019;21:302-11. https://doi.org/10.5853/jos.2019.01067.

*Wolf PA, Abbott RD, Kannel WB. Atrial fibrillation as an independent risk factor for stroke: the Framingham Study. Stroke 1991; 22:983-8.*

*Xiong Q, Proietti M, Senoo K, Lip GY.Asymptomatic versus symptomatic atrial fibrillation: A systematic review of age/gender differences and cardiovascular outcomes. Int J Cardiol 2015;191:172-7. https://doi.org/10.1016/j.ijcard.2015.05.011. https://www.heartline.com/*

### 3.1.2.

Chan NY, ChoyCC. Screening for atrial fibrillation in 13 122 Hong Kong citizens with smartphone electrocardiogram. Heart 2017;103:24-31. https://doi.org/10.1136/heartjnl-2016-309993.

Chan PH, Wong CK, Pun L, Wong YF, Wong MM, Chu DW, et al. Head-to-Head Comparison of the AliveCor Heart Monitor and Microlife WatchBP Office AFIB for Atrial Fibrillation Screening in a Primary Care Setting. Circulation 2017;135:110-2. https://doi.org/10.1161/CIRCULATIONAHA.116.024439.

Charitos EI, Stierle U, Ziegler PD, Baldewig M, Robinson DR, Sievers HH, et al. A comprehensive evaluation of rhythm monitoring strategies for the detection of atrial fibrillation recurrence: insights from 647 continuously monitored patients and implications for monitoring after therapeutic interventions. Circulation 2012;126:806-14. https://doi.org/10.1161/CIRCULATIONAHA.112.098079.

Chen LY, Chung MK, Allen LA, Ezekowitz M, Furie KL, McCabe P, et al. American Heart Association Council on Clinical Cardiology; Council on Cardiovascular and Stroke Nursing; Council on Quality of Care and Outcomes Research; and Stroke Council. Atrial Fibrillation Burden: Moving Beyond Atrial Fibrillation as a Binary Entity: A Scientific Statement From the American Heart Association. Circulation 2018;137:e623-44. https://doi.org/10.1161/CIR.0000000000000568.

Diener HC, Sacco RL, Easton JD, Granger CB, Bernstein RA, Uchiyama S, et al. RE-SPECT ESUS Steering Committee and Investigators. Dabigatran for Prevention of Stroke after Embolic Stroke of Undetermined Source. N Engl J Med 2019;380:1906-17. https://doi.org/10.1056/NEJMoa1813959.

*Engdahl J, Andersson L, Mirskaya M, Rosenqvist M. Stepwise screening of atrial fibrillation in a 75-year-old population: implications for stroke prevention. Circulation 2013:127:930-7. https://doi.org/10.1161/CIRCULATIONAHA.112.126656*

*Furie KL, Goldstein LB, Albers GW, Khatri P, Neyens R, Turakhia MP, et al. American Heart Association Stroke Council; Council on Quality of Care and Outcomes Research; Council on Cardiovascular Nursing; Council on Clinical Cardiology; Council on Peripheral Vascular Disease. Oral antithrombotic agents for the prevention of stroke in nonvalvular atrial fibrillation: a science advisory for healthcare professionals from the American Heart Association/American Stroke Association. Stroke 2012;43:3442-53. https://doi.org/10.1161/STR.0b013e318266722a. Erratum in: Stroke 2012;43:e181. Stroke 2013;44:e20.*

*Gudmundsdottir K, Fredriksson T, Svennberg E, Al-Khalili F, Friberg L, Frykman V, et al. Stepwise mass screening for atrial fibrillation using N-terminal B-type natriuretic peptide: the STROKESTOP II study. Europace 2020;22:24-32. https://doi.org/10.1093/europace/euz255.*

Hannon N, Sheehan O, Kelly L, Marnane M, Merwick A, Moore A, et al. Stroke associated with atrial fibrillation--incidence and early outcomes in the north Dublin population stroke study. Cerebrovasc Dis 2010;29:43-9. https://doi.org/10.1159/000255973.

Hart RG, Sharma M, Mundl H, Kasner SE, Bangdiwala SI, Berkowitz SD, et al. NAVIGATE ESUS Investigators. N Eng J Med;378:2191-201. https://doi.org/10.1056/NEJMoa1802686.

January CT, Wann LS, Calkins H, Chen LY, Cigarroa JE, Cleveland JC Jr. et al. 2019 AHA/ACC/HRS Focused Update of the 2014 AHA/ACC/HRS Guideline for the Management of Patients With Atrial Fibrillation: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines and the Heart Rhythm Society in Collaboration With the Society of Thoracic Surgeons. Circulation 2019;140:e125-51. https://doi.org/10.1161/CIR.0000000000000665.

Kamel H, Longstreth WT Jr, Tirschwell DL, Kronmal RA, Broderick JP, Palesch YY, et al. The AtRial Cardiopathy and Antithrombotic Drugs In prevention After cryptogenic stroke randomized trial: Rationale and methods. Int J Stroke 2019;14:207-14. https://doi.org/10.1177/1747493018799981.

*Kaplan RM, Koehler J, Ziegler PD, Sarkar S, Zweibel S, Passman RS. Stroke Risk as a Function of Atrial Fibrillation Duration and CHA2DS2-VASc Score. Circulation 2019;140:1639-46. https://doi.org/10.1161/CIRCULATIONAHA.119.041303.*

Kirchhof P, Benussi S, Kotecha D, Ahlsson A, Atar D, Casadei B, et al. 2016 ESC Guidelines for the management of atrial fibrillation developed in collaboration with EACTS: The Task Force for the management of atrial fibrillation of the European Society of Cardiology (ESC)Developed with the special contribution of the European Heart Rhythm Association (EHRA) of the ESC Endorsed by the European Stroke Organisation (ESO). Eur Heart J 2016;37:2893-962. https://doi.org/10.1093/eurheartj/ehw210.

Kishore A, Vail A, Majid A, Dawson J, Lees KR, Tyrrell PJ, Smith CJ. Detection of atrial fibrillation after ischemic stroke or transient ischemic attack: a systematic review and meta-analysis. Stroke 2014;45:520-6. https://doi.org/10.1161/STROKEAHA.113.003433.

*Kolominsky-Rabas PL, Weber M, Gefeller O, Neundoerfer B., Heuschmann PU. Epidemiology of ischemic stroke subtypes according to TOAST criteria: incidence, recurrence, and long-term survival in ischemic stroke subtypes: a population-based study. Stroke 2001;32:2735-40.*

Lowres N, Olivier J, Chao TF, Chen SA, Chen Y, Diederichsen A. Estimated stroke risk, yield, and number needed to screen for atrial fibrillation detected through single time screening: a multicountry patient-level meta-analysis of 141,220 screened individuals. PLoS Med 2019;16:e1002903. https://doi.org/10.1371/journal.pmed.1002903. eCollection 2019 Sep

*Proietti M, Mairesse GH, Goethals P, Scavee C, Vijgen J, Blankoff I. Belgian Heart Rhythm Week Investigators. A population screening programme for atrial fibrillation: a report from the Belgian Heart Rhythm Week screening programme. Europace 2016;18:1779-86. https://doi.org/10.1093/europace/euw069.*

Sanna T, Diener HC, Passman RS, Di Lazzaro V, Bernstein RA, Morillo CA, et al. CRYSTAL AF Investigators. Cryptogenic stroke and underlying atrial fibrillation. N Engl J Med 2014;370:2478-86. https://doi.org/10.1056/NEJMoa1313600.

Schnabel RB, Haeusler KG, Healey JS, Freedman B, Boriani G, Brachmann J, et al. Searching for Atrial Fibrillation Poststroke: A White Paper of the AF-SCREEN International Collaboration [published correction appears in Circulation. 2020;141(8):e99]. Circulation 2019;140:1834-50. https://doi.org/10.1161/CIRCULATIONAHA.119.040267

Sposato LA, Cipriano LE, Saposnik G, Ruíz Vargas E, Riccio PM, Hachinski V. Diagnosis of atrial fibrillation after stroke and transient ischaemic attack: a systematic review and meta-analysis. Lancet Neurol 2015;14:377-87. https://doi.org/10.1016/S1474-4422(15)70027-X.

*Svennberg E, Engdahl J, Al-Khalili F, Friberg L, Frykman, V. , Rosenqvist, M. Mass Screening for Untreated Atrial Fibrillation: The STROKESTOP Study. Circulation 2015;131:2176-84 https://doi.org/CIRCULATIONAHA. 114.014343*

Tsivgoulis G, Katsanos AH, Köhrmann M, Caso V, Perren F, Palaiodimou L. et al. Duration of Implantable Cardiac Monitoring and Detection of Atrial Fibrillation in Ischemic Stroke Patients: A Systematic Review and Meta-Analysis. J Stroke 2019;21:302-11. https://doi.org/10.5853/jos.2019.01067.

Varma N, Stambler B, Chun S. Detection of atrial fibrillation by implanted devices with wireless data transmission capability. Pacing Clin Electrophysiol 2005;28 (Suppl 1):S133-6.

Yano Y, Greenland P, Lloyd-Jones DM, Daoud EG, Koehler JL, Ziegler PD. Simulation of Daily Snapshot Rhythm Monitoring to Identify Atrial Fibrillation in Continuously Monitored Patients with Stroke Risk Factors. PLoS One 2016;11:e0148914. https://doi.org/10.1371/journal.pone.0148914. eCollection 2016.

Zungsontiporn N, Link MS. Newer technologies for detection of atrial fibrillation. Br Med J 2018;363:k3946. https://doi.org/10.1136/bmj.k3946. https://www.heartline.com/

### 3.1.3.

Caceres BA, Hickey KT, Bakken SB, Biviano AB, Garan H, Goldenthal IL, et al. Mobile Electrocardiogram Monitoring and Health-Related Quality of Life in Patients With Atrial Fibrillation: Findings From the iPhone Helping Evaluate Atrial Fibrillation Rhythm Through Technology (iHEART) Study. J Cardiovasc Nurs 2020;35:327-36. https://doi.org/10.1097/JCN.0000000000000646.

Hickey KT, Hauser NR, Valente LE, Riga TC, Frulla AP, Creber MR, et al. A single-center randomized, controlled trial investigating the efficacy of a mHealth ECG technology intervention to improve the detection of atrial fibrillation: the iHEART study protocol. BMC Cardiovasc Disord 2016;16:152. https://doi.org/10.1186/s12872-016-0327-y. Heartline study https://www.heartline.com/

### 3.1.4.

*Al-Turki A, Marafi M, Russo V, Proietti R, Essebag V. Subclinical Atrial Fibrillation and Risk of Stroke: Past, Present and Future. Medicina 2019;55:611; https://doi.org/10.3390/medicina55100611.*

Chen LY, Chung MK, Allen LA, Ezekowitz M, Furie KL, McCabe P. American Heart Association Council on Clinical Cardiology; Council on Cardiovascular and Stroke Nursing; Council on Quality of Care and Outcomes Research; and Stroke Council. Atrial Fibrillation Burden: Moving Beyond Atrial Fibrillation as a Binary Entity: A Scientific Statement From the American Heart Association. Circulation 2018;137:e623-44. https://doi.org/10.1161/CIR.0000000000000568.

*Congrete S, Bintvihok M, Thongprayoon C, Bathini T, Boonpheng B, Sharma K. Effect of obstructive sleep apnea and its treatment of atrial fibrillation recurrence after radiofrequency catheter ablation: A meta-analysis. J Evid Bas Med 2018;11:145-51. https://doi.org/10.1111/jebm.12313.*

Garabelli P, Stavrakis S, Albert M, Koomson E, Parwani P, Chohan J. Comparison of QT Interval Readings in Normal Sinus Rhythm Between a Smartphone Heart Monitor and a 12-Lead ECG for Healthy Volunteers and Inpatients Receiving Sotalol or Dofetilide. Cardiovasc Electrophysiol 2016;27:827-32. https://doi.org/10.1111/jce.12976.

Glotzer TV, Hellkamp AS, Zimmerman J, Sweeney MO, Yee R, Marinchak R, et al. MOST Investigators. Atrial High Rate Episodes Detected by Pacemaker Diagnostics Predict Death and Stroke: Report of the Atrial Diagnostics Ancillary Study of the MOde Selection Trial (MOST). Circulation 2013;107:1614-9. https://doi.org/10.1161/01.CIR.0000057981.70380.45.

Go AS, Reynolds K, Yang J, Gupta N, Lenane J, Sung SH. Association of Burden of Atrial Fibrillation With Risk of Ischemic Stroke in Adults With Paroxysmal Atrial Fibrillation: The KP-RHYTHM Study. JAMA 2018;3:601-8. https://doi.org/10.1001/jamacardio.2018.1176.

Healey JS, Connolly SJ, Gold MR, Israel CW, Van Gelder IC, Capucci A. Subclinical atrial fibrillation and the risk of stroke. N Engl J Med 2012;366:120-9. https://doi.org/10.1056/NEJMoa1105575.

January CT, Wann LS, Calkins H, Chen LY, Cigarroa JE, Cleveland JC Jr, et al. 2019 AHA/ACC/HRS Focused Update of the 2014 AHA/ACC/HRS Guideline for the Management of Patients With Atrial Fibrillation: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines and the Heart Rhythm Society in Collaboration With the Society of Thoracic Surgeons. Circulation 2019;140:e125-51. https://doi.org/10.1161/CIR.0000000000000665. Epub 2019 Jan 28.

*Kanagala R, Murali NS, Friedman PA, Ammash NM, Gersh BJ, Ballman KV, et al. Obstructive sleep apnea and the recurrence of atrial fibrillation. Circulation 2003;107:2589-94. https://doi.org/10.1161/01.CIR.0000068337.25994.21.*

Kaplan RM, Koehler J, Ziegler PD, Sarkar S, Zweibel S, Passman RS. Stroke risk as a function of atrial fibrillation duration and CHA2DS2-VASc score. Circulation 2019;140:1639-46. https://doi.org/10.1161/CIRCULATIONAHA.119.041303.

Kirchhof P, Benussi S, Kotecha D, Ahlsson A, Atar D, Casadei B, et al. 2016 ESC Guidelines for the management of atrial fibrillation developed in collaboration with EACTS: The Task Force for the management of atrial fibrillation of the European Society of Cardiology (ESC)Developed with the special contribution of the European Heart Rhythm Association (EHRA) of the ESC. Endorsed by the European Stroke Organisation (ESO). Eur Heart J 2016;37:2893-962. https://doi.org/10.1093/eurheartj/ehw210.

Kirchhof P, Blank BF, Calvert M, Camm AJ, Chlouverakis G, Diener HC, et al. Probing oral anticoagulation in patients with atrial high rate episodes: Rationale and design of the Non-vitamin K antagonist Oral anticoagulants in patients with Atrial High rate episodes (NOAH-AFNET 6) trial. Am Heart J 2017;190:12-18. https://doi.org/10.1016/j.ahj.2017.04.015.

Lopes RD, Alings M, Connolly SJ, Beresh H, Granger CB, Mazuecos JB, et al. Rationale and design of the Apixaban for the Reduction of Thrombo-Embolism in Patients With Device-Detected Sub-Clinical Atrial Fibrillation (ARTESiA) trial. Am Heart J 2017;189:137-45. https://doi.org/10.1016/j.ahj.2017.04.008.

Martin DT, Bersohn MM, Waldo AL, Wathen MS, Choucair WK, Lip GY, et al. IMPACT Investigators Randomized trial of atrial arrhythmia monitoring to guide anticoagulation in patients with implanted defibrillator and cardiac resynchronization devices. Eur Heart J 2015;36:1660-8. https://doi.org/10.1093/eurheartj/ehv115

*Pathak RK, Middeldorp ME, Meredith M, Mehta AB, Mahajan R, Wong CX, et al. Long-Term Effect of Goal-Directed Weight Management in an Atrial Fibrillation Cohort: A Long-Term Follow-Up Study (LEGACY). J Am Coll Cardiol 2015;65:2159-69. https://doi.org/10.1016/j.jacc.2015.03.002.*

Perino AC, Fan J, Askari M, Heidenreich PA, Keung E, Raitt MH, et al. Practice Variation in Anticoagulation Prescription and Outcomes After Device-Detected Atrial Fibrillation. Circulation 2019;139:2502-12. https://doi.org/10.1161/CIRCULATIONAHA.118.038988.

*Swiryn S, Orlov MV, Benditt DG, Di Marco JP, Lloyd-Jones D, Karst E, et al. Clinical Implications of Brief Device-Detected Atrial Tachyarrhythmias in a Cardiac Rhythm Management Device Population: Results from the Registry of Atrial Tachycardia and Atrial Fibrillation Episodes. Circulation 2016;134:1130-40. https://doi.org/10.1161/CIRCULATIONAHA.115.020252*

Van Gelder IC, Healey JS, Crijns H, Wang J, Hohnloser SH, Gold MR, et al. Duration of device-detected subclinical atrial fibrillation and occurrence of stroke in ASSERT. Eur Heart J 2017;38:1339-44. https://doi.org/10.1093/eurheartj/ehx042.

Varma N, Stambler B, Chun S. Detection of atrial fibrillation by implanted devices with wireless data transmission capability. Pacing Clin Electrophysiol 2005;28 (Suppl 1):S133-6.

*Voskoboinik A, Kalman JM, De Silva A, Nicholls T, Costello B, Nanayakkara S, et al. Alcohol Abstinence in Drinkers with Atrial Fibrillation. N Engl J Med 2020;382:20-8. https://doi.org/10.1056/NEJMoa181759*

## 3.2.

Andelius L, Hansen MC, Lippert F, Karlsson L, Torp-Pedersen C, Kjær Ersbøll A, et al. Smartphone Activation of Citizen Responders to Facilitate Defibrillation in Out-of-Hospital Cardiac Arrest. J Am Coll Cardiol 2020;76:43-53. https://doi.org/10.1016/j.jacc.2020.04.073

*Au-Yeung WM, Reinhall PG, Bardy GH, Brunton SL. Development and validation of warning system of ventricular tachyarrhythmia in patients with heart failure with heart rate variability data. PloS One 2018;13:e0207215. https://doi.org/10.1371/journal.pone.0207215. eCollection 2018.*

Billet S, Rollin A, Mondoly P, Monteil B, Fournier P, Cariou E, et al. Hemodynamic consequences of premature ventricular contractions: Association of mechanical bradycardia and postextrasystolic potentiation with premature ventricular contraction-induced cardiomyopathy. Heart Rhythm 2019;16:853-60. https://doi.org/10.1016/j.hrthm.2018.12.008

Bolle SR, Scholl J, Gilbert B. Can video mobile phones improve CPR quality when used for dispatcher assistance during simulated cardiac arrest? Acta Anaesthesiol Scand 2009;53:116-20. https://doi.org/10.1111/j.1399-6576.2008.01779.x.

Boutilier JJ, Brooks SC, Janmohamed A, Byers A, Buick JE, Zhan C, et al. Rescu Epistry Investigators. Optimizing a Drone Network to Deliver Automated External Defibrillators. Circulation 2017;135:2454-65. https://doi.org/10.1161/CIRCULATIONAHA.116.026318.

Claesson A, Bäckman A, Ringh M, Svensson L, Nordberg P, Djärv T, Hollenberg J. Time to Delivery of an Automated External Defibrillator Using a Drone for Simulated Out-of-Hospital Cardiac Arrests vs Emergency Medical Services. JAMA 2017;317:2332-4. https://doi.org/10.1001/jama.2017.3957.

*Chan J, Rea T, Gollakota S, Sunshine, JE. Contactless cardiac arrest detection using smart devices. NPJ Dig Med2019;2:52. https://doi.org/10.1038/s41746-019-0128-7*

Choa M, Park I, Chung HS, Yoo SK, Shim H, Kim S. The effectiveness of cardiopulmonary resuscitation instruction: Animation versus dispatcher through a cellular phone. Resuscitation 2008;77:87-94. https://doi.org/10.1016/j.resuscitation.2007.10.023.

Chong JW, Esa N, McManus DD, Chon KH. Arrhythmia Discrimination using a Smart Phone. IEEE J Biomed Health Inform 2015;19:815-24. https://doi.org/10.1109/JBHI.2015.2418195

Davis JC, Robertson MC, Ashe MC, Liu-Ambrose T, Khan KM, Marra CA. International comparison of cost of falls in older adults living in the community: a systematic review. Osteoporos Int 2010;21:1295-306. https://doi.org/10.1007/s00198-009-1162-0

Hatakeyama T, Nishiyama C, Shimamoto T, Kiyohara K, Kiguchi T, Chida I, et al. A Smartphone Application to Reduce the Time to Automated External Defibrillator Delivery After a Witnessed Out-of-Hospital Cardiac Arrest: A Randomized Simulation-Based Study. Simul Healthc 2018;13:387-93. https://doi.org/10.1097/SIH.0000000000000305.

Heinrich S, Rapp K, Rissmann U, Becker C, König HH. Cost of falls in old age: a systematic review. Osteoporos Int 2010;21:891-902. https://doi.org/10.1007/s00198-009-1100-1

Kalz M, Lenssen N, Felzen M, Rossaint R, Tabuenca B, Specht M, Skorning M. Smartphone apps for cardiopulmonary resuscitation training and real incident support: a mixed-methods evaluation study. J Med Internet Res 2014;16:e89.

Kwon JM, Lee Y, Lee Y, Lee S, Park J. An Algorithm Based on Deep Learning for Predicting In-Hospital Cardiac Arrest. J Am Heart Assoc 2018;7:e008678. https://doi.org/10.1161/JAHA.118.008678.

*Lee H, Shin SY, Seo M, Nam GB, Joo S. Prediction of Ventricular Tachycardia One Hour before Occurrence Using Artificial Neural Networks. Sci Rep 2016;6:32390-32390. https://doi.org/10.1038/srep32390*

*McManus DD, Chong JW, Soni A, Saczynski JS, Esa N, Napolitano C, et al. PULSESMART: Pulse-based Arrhythmia Discrimination Using a Novel Smartphone Application. J Cardiovasc Electrophysiol 2016;27:51-7. https://doi.org/10.1111/jce.12842*

Merchant RM, Abella BS, Abotsi EJ, Smith TM, Long JA, Trudeau ME, et al. Cell phone cardiopulmonary resuscitation: Audio instructions when needed by lay rescuers: A randomized, controlled trial. Ann Emerg Medicine 2010;55:538-43.

Neves Briard J, Grou-Boileau F, El Bashtaly A, Spenard C, de Champlain F, Homier V. Automated External Defibrillator Geolocalization with a Mobile Application, Verbal Assistance or No Assistance: A Pilot Randomized Simulation (AED G-MAP). Prehosp Emerg Care 2019;23:420-9. https://doi.org/10.1080/10903127.2018.1511017

*Paal P, Pircher I, Baur T, Gruber E, Strasak AM, Herff H, et al. Mobile phone-assisted basic life support augmented with a metronome. J Emerg Med 2012;43:472-7.*

Praveen Kumar D, Amgoth T, Annavarapu CS. Machine learning algorithms for wireless sensor networks: A survey. Information Fusion 2019;49:1-25

Reed MJ, Grubb NR, Lang CC, O'Brien R, Simpson K, Padarenga M. Multi-centre Randomised Controlled Trial of a Smartphone-based Event Recorder Alongside Standard Care Versus Standard Care for Patients Presenting to the Emergency Department with Palpitations and Pre-syncope: The IPED (Investigation of Palpitations in the ED) study. EClinicalMedicine 2019;8:37-46. https://doi.org/10.1016/j.eclinm.2019.02.005

*Rickard J, Ahmed S, Baruch M, Klocman B, Martin DO, Menon V. Utility of a novel watch-based pulse detection system to detect pulselessness in human subjects. Heart Rhythm 2011;8:1895-9. https://doi.org/10.1016/j.hrthm.2011.07.030*

Ringh M, Rosenqvist M, Hollenberg J, Jonsson M, Fredman D, Nordberg P, et al.Mobile-phone dispatch of laypersons for CPR in out-of-hospital cardiac arrest. New England J Med 2015;372:2316-25. https://doi.org/10.1056/NEJMoa1406038

Ringwald M, Crich A, Beysard N. Smart Watch Recording of Ventricular Tachycardia: Case Study. Am J Emerg Med 2019;38:849.e3-849.e5. https://doi.org/10.1016/j.ajem.2019.10.040.

Sakai T, Iwami T, KitamuraT, Nishiyama C, Kawamura T, Kajino K, et al. Effectiveness of the new "Mobile AED Map" to find and retrieve an AED: a andomized controlled trial. Resuscitation 2011;82:69-73.

Steinberg JS, Varma N, Cygankiewicz I, Aziz P, Balsam P, Baranchuk A, et al. 2017 ISHNE-HRS expert consensus statement on ambulatory ECG and external cardiac monitoring/telemetry. Ann NoninvasIVE Electrocardiol 2017;22:e12447. https://doi.org/10.1111/anec.12447

Waks JW, Fein AS, Das S. Wide Complex Tachycardia Recorded With a Smartphone Cardiac Rhythm Monitor. JAMA Intern Med 2015;175:437-9. https://doi.org/10.1001/jamainternmed.2014.7586

*Weisfeldt ML, Sitlani CM, Ornato JP, Rea T, Aufderheide TP, Davis D, et al.ROC Investigators. Survival after application of automatic external defibrillators before arrival of the emergency medical system: evaluation in the resuscitation out-comes consortium population of 21 million. J Am Coll Cardiol 2010;55:1713-20. https://doi.org/*

Wu O, Briggs A, Kemp T, Gray A, MacIntyre K, RowleyJ, Willett K. Mobile phone use for contacting emergency services in life threatening circumstances. J Emerg Med 2012;42:291-8

You JS, Park S, Chung SP, Park JW. Performance of cellular phones with video telephony in the use of automated external defibrillators by untrained laypersons. Emerg Med J 2008;25:597-600.

## Bibliograf a Secci n 4

Chung MK, Eckhardt LL, Chen LY, Ahmed HM, Gopinathannaie R, Joglar JA, et al. Lifestyle and Risk Factor Modification for Reduction of Atrial Fibrillation: A Scientific Statement from the American Heart Association. Circulation 2020;141:e750-72. https://doi.org/10.1161/CIR.0000000000000748

January CT, Wann LS, Calkins H, Chen LY, Cogarroa JE, Cleveland JCJr, et al. 2019 AHA/ACC/HRS Focused Update of the 2014 AHA/ACC/HRS Guideline for the Management of Patients With Atrial Fibrillation: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines and the Heart Rhythm Society in Collaboration With the Society of Thoracic Surgeons [published correction appears in Circulation 2019;140(6):e285]. Circulation 2019;140:e125-e151. https://doi.org/10.1161/CIR.0000000000000665

## 4.1.

Avila CO. Novel Use of Apple Watch 4 to Obtain 3-Lead Electrocardiogram and Detect Cardiac Ischemia. Perm J 2019;23:19-025. https://doi.org/10.7812/TPP/19-025

Chow CK, Redfern J, Hillis GS, Thakkar J, Santo K, Hackett ML, et al. Effect of Lifestyle-Focused Text Messaging on Risk Factor Modification in Patients With Coronary Heart Disease: A Randomized Clinical Trial. JAMA 2015;314:1255-63. https://doi.org/10.1001/jama.2015.10945

Clemmensen P, Loumann-Nielsen S, Sejersten M. Telemedicine fighting acute coronary syndromes. J Electrocardiol 2010;43:615-8.

*Gibson CM, Holmes D, Mikdadi G, Presser D, Wohns D, Yee MK, et al. Implantable Cardiac Alert System for Early Recognition of ST-Segment Elevation Myocardial Infarction. J Am Coll Cardiol 2019;73:1919-27. https://doi.org/10.1016/j.jacc.2019.01.014*

*Holmes DR Jr, Krucoff MW, Mullin C, Mikdadi G, Presser D, Wohns D. Implanted Monitor Alerting to Reduce Treatment Delay in Patients With Acute Coronary Syndrome Events. J Am Coll Cardiol;2019;74:2047-55. https://doi.org/10.1016/10.1016/j.jacc.2019.07.084.*

Horwitz LI, Moriarty JP, Chen C, Fogerty RL, Brewster UC, Kanade S, et al. Quality of discharge practices and patient understanding at an academic medical center. JAMA Intern Med 2013;173:1715-22.

Moser DK, Kimble LP, Alberts MJ, Alonzo A, Croft JB, Dracup K, et al. American Heart Association Council on Cardiovascular Nursing and Stroke Council. Reducing delay in seeking treatment by patients with acute coronary syndrome and stroke: a scientific statement from the American Heart Association Council on Cardiovascular Nursing and Stroke Council. Circulation 2006;114:168-82.

*Park LG, Beatty A, Stafford Z, Whooley MA. Mobile Phone Interventions for the Secondary Prevention of Cardiovascular Disease. Prog Cardiovasc Dis 2006;58:639-50.*

Pizzetti F, Turazza FM, Franzosi MG, Barlera S, Ledda A, Maggioni AP, et al.GISSI-3 Investigators. Incidence and prognostic significance of atrial fibrillation in acute myocardial infarction: the GISSI-3 data. Heart 2001;86:527-32 https://doi.org/10.1136/heart.86.5.527

Ritchey MD, Maresh S, McNeely J, Shaffer T, Jackson SL, Keteyian SJ. Tracking Cardiac Rehabilitation Participation and Completion Among Medicare Beneficiaries to Inform the Efforts of a National Initiative. Cir Cardiovasc Qual Outcome 2020;13:e005902. https://doi.org/10.1161/CIRCOUTCOMES.119.005902

Sanchez-Ross M, Oghlakian G, Maher J, Patel B, Mazza V, Hom D, et al. The STAT-MI (ST-Segment Analysis Using Wireless Technology in Acute Myocardial Infarction) trial improves outcomes. J Am Coll Cardiol Cardiovasc Intervent 2011;4:222-7

*Shariful Islam SM, Farmer AJ, Bobrow K, Maddison R, Whittaker R, Pfaeffli Dale LA, et al. Mobile phone text-messaging interventions aimed to prevent cardiovascular diseases (Text2PreventCVD): Systematic review and individual patient data meta-analysis. Open Heart 2019;6:e001017. https://doi.org/10.1136/openhrt-2019-001017*

Unal E, Giakoumidakis K, Khan E, Patelarou E. Mobile phone text messaging for improving secondary prevention in cardiovascular diseases: A systematic review. Heart Lung 2018;47:351-9. https://doi.org/10.1016/j.hrtlng.2018.05.009

*Van Heuverswyn F, De Buyzere M, Coeman M, de Pooter J, Drieghe B, Duyschaever M, et al. Feasibility and performance of a device for automatic self-detection of symptomatic acute coronary artery occlusion in outpatients with coronary artery disease: a multicentre observational study. Lancet Digit Health 2019;1:e90-9. https://doi.org/10.1016/S2589-7500(19)30026-3*

Varnfield M, Karunanithi M, Lee CK, Honeyman E, Arnold D, Ding H, et al. Smartphone-based home care model improved use of cardiac rehabilitation in postmyocardial infarction patients: results from a randomised controlled trial. Heart 2014;100:1770-9. https://doi.org/10.1136/heartjnl-2014-305783

*Vollmer WM, Owen-Smith AA, Tom JO, Laws R, Ditmer DG, Smith DH, et al. Improving adherence to cardiovascular disease medications with information technology. Am J Managed Care 2014;20:(suppl. 17), SP502-SP510.*

Ziaeian B, Araujo KL, Van Ness PH, Horwitz LI. Medication reconciliation accuracy and patient understanding of intended medication changes on hospital discharge. J Gen Intern Med 2012;27:1513-20. https://doi.org/10.1007/s11606-012-2168-4

Zwisler AD, Norton RJ, Dean SG, Dalal H, Tang LH, Wingham J, Taylor RS. Home-based cardiac rehabilitation for people with heart failure: A systematic review and meta-analysis. Int J Cardiol 2016;221:963-9. https://doi.org/10.1016/j.ijcard.2016.06.207

## 4.2.

*Abraham WT, Stevenson LW, Bourge RC, Lindenfeld JA, Bauman JG, Adamson PB; CHAMPION Trial Study Group. Sustained efficacy of pulmonary artery pressure to guide adjustment of chronic heart failure therapy: complete follow-up results from the CHAMPION randomized trial. Lancet 2016;387:453-61 https://doi.org/10.1016/10.1016/S0140-6736(15)00723-0.*

*Albert C, Estep JD. Economic impact of chronic heart failure management in today's cost-conscious environment. Cardiac Electrophysiol Clin 2019;11;1-9. https://doi.org/10.1016/j.ccep.2018.11.002*

*Benjamin EJ, Blaha MJ, Chiuve SE, Cushman M, Das SR, Deo R, et al. American Heart Association Statistics Committee and Stroke Statistics Subcommittee. Heart disease and stroke statistics-2017 update: a report from the American Heart Association. Circulation 2017;135:e146-e603. https://doi.org/10.1161/CIR.0000000000000485*

*Boyne JJ, Vrijhoef HJ, Crijns HJ, De Weerd G, Kragten J, Gorgels AP; TEHAF investigators. Tailored telemonitoring in patients with heart failure: results of a multicentre randomized controlled trial. Eur J Heart Fail; 2012;14:791-801. https://doi.org/10.1093/eurjhf/hfs058.*

*Carbo A, Gupta M, Tamariz L, Palacio A, Levis S, Nemeth Z, Dang S. Mobile technologies for managing heart failure: a systematic review and meta-analysis. Telemed J E-Health 2018; https://doi.org/10.1089/tmj.2017.0269*

*Chaudhry SI, Mattera JA, Curtis JP, Spertus JA, Herrin J, Lin Z, et al.Telemonitoring in patients with heart failure. New Engl J Med 2010;363:2301-9. https://doi.org/10.1056/NEJMoa1010029*

*Desai AS, Bhimaraj A, Bharmi R, Jermyn R, Bhatt K, Shavelle D, et al. Ambulatory hemodynamic monitoring reduces heart failure hospitalizations in "real-world" clinical practice. J Am Coll Cardiol 2017;69:2357-65. https://doi.org/10.1016/j.jacc.2017.03.009.*

*Dickinson M, Allen L, Albert NA, DiSalvo T, Ewald GA, Vest AR, et al. Consensus Statement. Remote monitoring of patients with heart failure: a white paper from the Heart Failure Society of America Scientific Statements Committee. J Cardiac Fail 2018;24:682-94. https://doi.org/10.1016/j.cardfail.2018.08.011*

*Koehler F, Koehler K, Deckwart O, Prescher S, Wegscheider K, Kirwan BA, et al.Efficacy of telemedical interventional management in patients with heart failure (TIM-HF2): a randomised, controlled, parallel-group, unmasked trial. Lancet 2018;392:1047-57. https://doi.org/10.1016/S0140-6736(18)31880-4.*

*Koehler F, Winkler S, Schieber M, Sechtem U, Stangl K, Böhm M, et al.Telemedical Interventional Monitoring in Heart Failure Investigators. Impact of remote telemedical management on mortality and hospitalizations in ambulatory patients with chronic heart failure: the Telemedical Interventional Monitoring in Heart Failure study. Circulation 2011;123:1873-80.*

*Ong MK, Romano PS, Edgington S, Aronow HU, Auerbach AD, Black JT, et al. Better Effectiveness After Transition-Heart Failure (BEAT-HF) Research Group. Effectiveness of remote patient monitoring after discharge of hospitalized patients with heart failure: the Better Effectiveness After Transition—Heart Failure (BEAT-HF) randomized clinical trial. JAMA Intern Med 2016;176:310-8. https://doi.org/10.1001/jamainternmed.2015.7712*

*Ono M, VarmaN. Remote monitoring to Improve long-term prognosis in heart failure patients with implantable cardioverter-defibrillators. Expert Rev Med Dev 2017;14:335-42. https://doi.org/10.1080/17434440.2017.1306438*

*Takahashi PY, Pecina JL, Upatising B, Chaudhry R, Shah ND, Van Houten H, et al. A randomized controlled trial of telemonitoring in older adults with multiple health issues to prevent hospitalizations and emergency department visits. Arch Intern Med 2012;172:773-9. https://doi.org/10.1001/archinternmed.2012.256*

## 4.2.1.

*Carbo A, Gupta M, Tamariz L, Palacio A, Levis S, Nemeth Z, Dang S. Mobile technologies for managing heart failure: a systematic review and meta-analysis. Telemed E Health J 2018;24: Apr 2. https://doi.org/10.1089/tmj.2017.0269.*

*Chaudhry SI, Mattera JA, Curtis, JP, Spertus JA, Herrin J, Lin Z, et al.Telemonitoring in patients with heart failure. N Engl J Med 2010;363:2301-9. https://doi.org/10.1056/NEJMoa1010029*

*Cipresso P, Serino S, Villani D, Repetto C, Sellitti L, Albani A, et al. Is your phone so smart to affect your states? An exploratory study based on psychophysiological measures. Neurocomputing 2012;84:23-30.*

*Hamilton SJ, Mills B, Birch EM, Thompson SC. Smartphones in the secondary prevention of cardiovascular disease: a systematic review. BMC Cardiovasc Disord 2015;18:25. https://doi.org/10.1186/s12872-018-0764-x.*

Molinaro N, Massaroni C, Lo Presti D, Saccomandi P, Di Tomaso G, Zollo L, et al. Wearable Textile Based on Silver Plated Knitted Sensor for Respiratory Rate Monitoring. Annu Int Conf IEEE Eng Med Biol Soc 2018;2018:2865-8. https://doi.org/10.1109/EMBC.2018.8512958.

Stehlik J, Schmalfuss C, Bozkurt B, Nativi-Nicolau J, Wohlfahrt P, Wegerich S. Continuous Wearable Monitoring Analytics Predict Heart Failure Hospitalization The LINK-HF Multicenter Study. Circ Heart Fail 2020;13, e006513. https://doi.org/10.1161/CIRCHEARTFAILURE.119.006513

## 4.2.2.

*Ades, PA, Pashkow FJ, Fletcher G, Pina IL, Zohman LR, Nestor JR. A controlled trial of cardiac rehabilitation in the home setting using electrocardiographic and voice transtelephonic monitoring. Am Heart J 2000;139:543-8.*

*Kouidi E, Farmakiotis A, Kouidis N, Deligiannis A. Transtelephonic electrocardiographic monitoring of an outpatient cardiac rehabilitation programme. Clin Rehab 2006;20:1100-4.*

Piepoli MF, Conraads V, Corrà U, Agostoni P, Coats AJ, Conraads V, et al. Exercise training in heart failure: from theory to practice. A consensus document of the Heart Failure Association and the European Association for Cardiovascular Prevention and Rehabilitation. Eur J Heart Fail 2011;13:347-57. https://doi.org/10.1093/eurjhf/hfr017

Piotrowicz E, Pencina MJ, Opolski G, Zareba W, Banach M, Kowalik I, et al. Effects of a 9-Week Hybrid Comprehensive Telerehabilitation Program on Long-term Outcomes in Patients With Heart Failure. The Telerehabilitation in Heart Failure Patients (TELEREH-HF) Randomized Clinical Trial. JAMA Cardiol 2020;5:300-8. https://doi.org/10.1001/jamacardio.2019.5006.

*Piotrowicz E, Piepoli MF, Jaarsma T, Lambrinou E, Coats AJ, Schmid JP, et al. Telerehabilitation in heart failure patients: The evidence and the pitfalls. Inter J Cardiol 2016;220:408-13.*

Piotrowicz E, Piotrowicz R, Opolski G, Pencina M, Banach M, Zaręba W. Hybrid comprehensive telerehabilitation in heart failure patients (TELEREH-HF): A randomized, multicenter, prospective, open-label, parallel group controlled trial-Study design and description of the intervention. Am Heart J 2019;217:148-58. https://doi.org/10.1016/j.ahj.2019.08.015

Piotrowicz E, Piotrowski W, Piotrowicz R. Positive Effects of the Reversion of Depression on the Sympathovagal Balance after Telerehabilitation in Heart Failure Patients. Ann Noninvas Electrocardiol 2016;21:358-68. https://doi.org/10.1111/anec.12320

Piotrowicz E, Stepnowska M, Leszczyńska-Iwanicka K, Piotrowska D, Kowalska M, Tylka J. Quality of life in heart failure patients undergoing home-based telerehabilitation versus outpatient rehabilitation - a randomized controlled study. Eur J Cardiovasc Nursing 2015;14:256-63. https://doi.org/10.1177/1474515114537023

*Piotrowicz E, Zieliński T, Bodalski R, Rywik T, Dobraszkiewicz-Wasilewska B, Sobieszczańska-Małek M, et al. Home-based telemonitored Nordic walking training is well accepted, safe, effective and has high adherence among heart failure patients, including those with cardiovascular implantable electronic devices - a randomized controlled study. Eur J Prev Cardiol 2015;22:1368-77. https://doi.org/10.1177/2047487314551537*

Ponikowski P, Voors AA, Anker SD, Bueno H, Cleland JG, Coats AJ, et al. ESC Scientific Document Group.2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure: The Task Force for the diagnosis and treatment of acute and chronic heart failure of the European Society of Cardiology (ESC)Developed with the special contribution of the Heart Failure Association (HFA) of the ESC. Eur Heart J 2016;37:2129-200. https://doi.org/10.1093/eurheartj/ehw128

*Smart N, Haluska B, Jeffriess L, Marwick TH. Predictors of a sustained response to exercise training in patients with chronic heart failure: a telemonitoring study. Am Heart J 2015;150:1240-7. https://doi.org/10.1016/j.ahj.2005.01.035*

*Thomas RJ, Beatty AL, Beckie TM, Brewer LC, Brown TM, Forman DE, et al. Home-Based Cardiac Rehabilitation. A Scientific Statement From the American Association of Cardiovascular and Pulmonary Rehabilitation the American Heart Association, and the American College of Cardiology. J Am Coll Cardiol 2019;74:133-53. https://doi.org/10.1016/j.jacc.2019.03.008*

## 4.3.

Agarwal P, Mukerji G, Desveaux L, Ivers NM, Bhattacharyya O, Hensel JM, et al. Mobile app for improved self-management of type 2 diabetes: multicenter pragmatic randomized controlled trial. JMIR Mhealth Uhealth 2019;7:e10321. https://doi.org/10.2196/10321

*Andrès E, Meyer L, Zulfiqar AA, Hajjam M, Talha S, Bahougne, T, et al. Telemonitoring in diabetes: evolution of concepts and technologies, with a focus on results of the more recent studies. J Med Life 2019;12:203-14. https://doi.org/10.25122/jml-2019-0006.*

*Balakumar P, Maung-U K, Jagadeesh G. Prevalence and prevention of cardiovascular disease and diabetes mellitus. Pharmacol Res 2016;113(Pt A):600-9. https://doi.org/10.1016/j.phrs.2016.09.040*

Chang SH, Wu LS, Chiou MJ, Liu JR, Yu KH, Kuo CF, et al. Association of metformin with lower atrial fibrillation risk among patients with type 2 diabetes mellitus: a population-based dynamic cohort and in vitro studies. Cardiovascular Diabetology 2014;13:123. https://doi.org/10.1186/s12933-014-0123-x.

Chao TF, Leu HB, Huang CC, Chen JW, Chan WL, Lin SJ, et al.Thiazolidinediones can prevent new onset atrial fibrillation in patients with non-insulin dependent diabetes. Int J Cardiol 2012;156:199-202. https://doi.org/10.1016/j.ijcard.2011.08.081

Cosentino F, Grant PJ, Aboyans V, Bailey C, Ceriello A, et al. ESC Scientific Document Group .2019 ESC Guidelines on diabetes, pre-diabetes, and cardiovascular diseases developed in collaboration with the EASD. Eur Heart J 2020;41:255-323. https://doi.org/10.1093/eurheartj/ehz486.2019. pii: ehz486.

*Donnelan E, Aagaard P, Kanj M, Jaber W, Elshazly M, Hoosien M, et al. Association Between Pre-Ablation Glycemic Control and Outcomes Among Patients With Diabetes Undergoing Atrial Fibrillation Ablation. J Am Med Assoc Clin Electrophysiol 2019;5:397-903. https://doi.org/10.1016/j.jacep.2019.05.018*

Fleming GA, Petrie JR, Bergenstal RM, Holl RW, Peters AL, et al. Diabetes Digital App Technology: Benefits, Challenges, and Recommendations. A Consensus Report by the European Association for the Study of Diabetes (EASD) and the American Diabetes Association (ADA) Diabetes Technology Working Group. Diabetes Care 2020;43:250-60. https://doi.org/10.2337/dci19-0062.

*Fokkert, MJ, van Dijk PR, Edens MA, Abbes S, de Jong D, Slingerland RJ, Bilo, HJ. Performance of the FreeStyle Libre Flash glucose monitoring system in patients with type 1 and 2 diabetes mellitus. BMJ Open Diab Res Care 2017;5:e000320. https://doi.org/10.1136/bmjdrc-2016-000320. eCollection 2017.*

*Fokkert M, van Dijk P, Edens, M, Barent, E, Mollema J, Slingerland R, et al. (2019). Improved well-being and decreased disease burden after 1-year use of flash glucose monitoring (FLARE-NL4). BMJ Open Diabetes Research and Care, 7, e000809. https://doi.org/10.1136/bmjdrc-2019-000809*

*Garabedian LF, Ross-Degnan D, Wharam JF. Mobile Phone and Smartphone Technologies for Diabetes Care and Self-Management. Curr Diab Rep 2015;15:109. https://doi.org/ 10.1007/s11892-015-0680-8.*

*Goudis CA, Korantzopoulos P, Ntalas IV, Kallergis EM, Liu T, Ketikoglou DG. Diabetes mellitus and atrial fibrillation: Pathophysiological mechanisms and potential upstream therapies. Int J Cardiol 2015;184:617-22. https://doi.org/ 10.1016/j.ijcard.2015.03.052*

Gu J, Liu X, Wang X, Shi H, Tan H, Zhou L, et al. Beneficial effect of pioglitazone on the outcome of catheter ablation in patients with paroxysmalnatrial fibrillation and type 2 diabetes mellitus. Europace 2011;13:1256-61. https://doi.org/10.1093/europace/eur131

*Liang X, Wang Q, Yang X, Cao J, Chen J, Mo X, et al. Effect of mobile phone intervention for diabetes on glycaemic control: a meta-analysis. Diabet Med 2011;28:455-63. https://doi.org/10.1111/j.1464-5491.2010.03180.x.*

Otake H, Suzuki H, Honda T, Maruyama Y. Influences of autonomic nervous system on atrial arrhythmogenic substrates and the incidence of atrial fibrillation in diabetic heart. Int Heart J. 2009;50:627-50. https://doi.org/10.1536/ihj.50.627

Pal K, Eastwood SV, Michie S, Farmer A, Barnard ML, Peacock R, et al. Computer-based interventions to improve self-management in adults with type 2 diabetes: a systematic review and meta-analysis. Diabetes Care 2014;37:1759-66. https://doi.org/10.2337/dc13-1386.

*Pillay J, Armstrong MJ, Butalia S., Donovan LE, Sigal RJ, Chordiya P, et al. Behavioral Programs for Type 1 Diabetes Mellitus: A Systematic Review and Meta-analysis. Ann Inter Med 2015;163:836-47. https://doi.org/10.7326/M15-1399*

Quinn C, Shardell M, Terrin M, Barr EA, Ballew SH, Gruber-Baldini AL. Cluster-randomized trial of a mobile phone personalized behavioral intervention for blood glucose control. Diabetes Care 2011;34:1934-42. https://doi.org/10.2337/dc11-0366

*Saffari M, Ghanizadeh G, Koenig HG. Health education via mobile text messaging for glycemic control in adults with type 2 diabetes: a systematic review and meta-analysis. Prim Care Diabetes 2014;8:275-85. https://doi.org/10.1016/j.pcd.2014.03.004*

*Veazie S, Winchell K, Gilbert J, Paynter R, Ivlev I, Ede KB, et al. Rapid Evidence Review of Mobile Applications for Self-management of Diabetes. J Gen Intern Med 2018;33:1167-76.*

*Wang A, Green JB, Halperin JL, Piccini JP. Sr. Atrial Fibrillation and Diabetes Mellitus. J A Coll Cardiol 2019;74:1107-15. https://doi.org/10.1016/j.jacc.2019.07.020*

Whaley CM, Bollyky JB, Lu W, Painter S, Schneider J, Zhao Z, et al. Reduced medical spending associated with increased use of a remote diabetes management program and lower mean blood glucose values. J Med Econ 2019; 22:869-77. https://doi.org/10.1080/13696998.2019.1609483

*Wilkinson MJ, Zadourian A, Taub PR. Heart Failure and Diabetes Mellitus: Defining the Problem and Exploring the Interrelationship. Am J Cardiol 2019;124 (Suppl 1): S3-S11. https://doi.org/10.1016/j.amjcard.2019.10.024*

*Wingerter R, Steiger, N, Burrows A, Estes NAM. 3rd. Impact of Lifestyle Modification on Atrial Fibrillation. Am J Cardiol 2020;125, 289-97. https://doi.org/10.1016/j.amjcard.2019.10.018.*

## 4.4.

Bosworth HB, Powers BJ, Olsen MK, McCant F, Grubber J, Smith V, et al. Home blood pressure management and improved blood pressure control: results from a randomized controlled trial. Arch Intern Med 2011;171:1173-80. https://doi.org/10.1001/archinternmed.2011.276.

Duan Y, Xie Z, Dong F, Wu Z, Lin Z, Sun N, et al. Effectiveness of home blood pressure telemonitoring: a systematic review and meta-analysis of randomised controlled studies. J Hum Hypertens 2017;31:427-37. https://doi.org/10.1038/jhh.2016.99

Huxley RR, Lopez FL, Folsom AR, Agarwal SK, Loehr LR, Soliman EZ, et al. Absolute and attributable risks of atrial fibrillation in relation to optimal and borderline risk factors: the Atherosclerosis Risk in Communities (ARIC) study. Circulation 2011;123:1501- 8. https://doi.org/10.1161/CIRCULATIONAHA.110.009035

Kim YN, Shin DG, Park S, Lee CH. Randomized clinical trial to assess the effectiveness of remote patient monitoring and physician care in reducing office blood pressure. Hypertens Res 2015; 38:491-7. https://doi.org/10.1038/hr.2015.32

McManus RJ, Mant J, Bray EP, Holder R, Jones MI, Greenfield S, et al. Telemonitoring and self-management in the control of hypertension (TASMINH2): a randomised controlled trial. Lancet 2010;376:163-72. https://doi.org/10.1016/S0140-6736(10)60964-6

McManus RJ, Mant J, Franssen M, Nickless A, Schwart C, Hodgkinson J, et al; TASMINH4 investigators. Efficacy of self-monitored blood pressure, with or without telemonitoring, for titration of antihypertensive medication (TASMINH4): an unmasked randomised controlled trial. Lancet 2018;391:949-59. https://doi.org/10.1016/S0140-6736(18)30309-X

*Monahan M, Jowett S, Nickless A, Franssen M, Grant S, Greenfield S, et al. Cost-Effectiveness of Telemonitoring and Self-Monitoring of Blood Pressure for Antihypertensive Titration in Primary Care (TASMINH4). Hypertension 2019;73:1231-9. https://doi.org/10.1161/HYPERTENSIONAHA.118.12415*

*Tucker KL, Sheppard JP, Stevens R, Bosworth HB, Bove A, Bray EP, et al. Self-monitoring of blood pressure in hypertension: A systematic review and individual patient data meta-analysis. PLoS Med 2017;14:e1002389. https://doi.org/10.1371/journal.pmed.1002389*

*Williams B, Mancia G, Spiering W, Agabiti Rosei E, Azizi M, Burnier M, et al. ESC Scientific Document Group. 2018 ESC/ESH Guidelines for the management of arterial hypertension. Eur Heart J 2018;39:3021-104. https://doi.org/10.1093/eurheartj/ehy33*

## 4.5.

*Berryhill S, Morton CJ, Dean A, Berryhill A, Provencio-Dean N, Patel SI, et al. Parthasarathy S. Effect of Wearables on Sleep in Healthy Individuals: A Randomized Crossover Trial and Validation Study. J Clin Sleep Med 2020;16:775-83. https://doi.org/10.5664/jcsm.8356*

*Burgess HJ, Trinder J, Kim Y, Luke D. Sleep and circadian influences on cardiac autonomic nervous system activity. Am J Physiol 1997;273: H1761-8. https://doi.org/10.1152/ajpheart.1997.273.4.H1761*

Daghlas I, Dashti HS, Lane L, Aragam JL, Rutter MK, Saxena R, et al. Sleep duration and myocardial infarction. J Am Coll Cardiol 2019;74:1304-14. https://doi.org/10.1016/j.jacc.2019.07.022

Hirshkowitz M, Whiton K, Albert SM, Alessi C, Bruni O, Don Carlos L, et al. National Sleep Foundation's updated sleep duration recommendations: final report. Sleep Health 2005;1:233-43. https://doi.org/10.1016/j.sleh.2015.10.004

Huang T, Mariani S, Redline S. Sleep Irregularity and Risk of Cardiovascular Events: The Multi-Ethnic Study of Atherosclerosis. J Am Coll Cardiol 2020;75:991-9. https://doi.org/10.1016/j.jacc.2019.12.054.

*Khosla S, Deak MC, Gault D, Goldstein CA, Hwang D, Kwon Y, et al. American Academy of Sleep Medicine Board of Directors. Consumer Sleep Technology: An American Academy of Sleep Medicine Position Statement. J Clin Sleep Med 2018;14:877-80. https://doi.org/10.5664/jcsm.7128*

Mantua J, Gravel N, Spencer RM. Reliability of Sleep Measures from Four Personal Health Monitoring Devices Compared to Research-Based Actigraphy and Polysomnography. Sensors (Basel). 2016;16:646. https://doi.org/10.3390/s16050646

May AM, Blackwell T, Stone PH, Stone KL, Cawthon PM, Sauer WH, et al. MrOS Sleep (Outcomes of Sleep Disorders in Older Men) Study Group. Central sleep-disordered breathing predicts incident atrial fibrillation in older men. Am J of Respir Crit Care Med 2016;193:783-91. https://doi.org/10.1164/rccm.201508-1523OC

May AM, Van Wagoner DR, Mehra R. OSA and Cardiac Arrhythmogenesis: Mechanistic Insights. Chest 2017;151:225-41. https://doi.org/10.1016/j.chest.2016.09.014

Mehra R, Benjamin EJ, Shahar E, Gottlieb DJ, Nawabit R, Kirchner HL, et al. Sleep Heart Health Study. Association of nocturnal arrhythmias with sleep-disordered breathing: the Sleep Heart Health Study. Am J Respir Crit Care Med 2006;173:910-6. https://doi.org/10.1164/rccm.200509-1442OC

Qureshi WT, Nasir UB, Alqalyoobi S, O'Neal WT, Mawri S, Sabbagh S, et al. Meta-analysis of continuous positive airway pressure as a therapy of atrial fibrillation in obstructive sleep apnea. Am J Cardiol 2015;116:1767-116: https://doi.org/10.1016/j.amjcard.2015.08.046

Selvaraj N, Narasimhan R. Automated prediction of the apnea-hypopnea index using a wireless patch sensor. Conference Proceedings IEEE Eng Med Biol Soc 2014;1897-900. https://doi.org/10.1109/EMBC.2014.6943981

Youssef I, Kamran H, Yacoub M, Patel N, Goulbourne C, Kumar S, et al. Obstructive sleep apnea as a risk factor for atrial fibrillation: a meta-analysis. J Sleep Disord Ther 2018;7:282. https://doi.org/10.4172/2167-0277.1000282.

National Sleep Foundation. 2013 International bedroom poll. https://sleepfoundation.org/sleep-polls-data

Institute of Medicine (US) Committee on Sleep Medicine and Research; Colten HR AB, editors. Sleep Disorders and Sleep Deprivation: An Unmet Public Health Problem. Washington (DC): National Academies Press (US); 2006. 3, Extent and Health Consequences of Chronic Sleep Loss and Sleep Disorders. Available from: http://www.ncbi.nlm.nih.gov/books/NBK19961/.

## 4.6.1

Abdulla J, Nielsen JR. Is the risk of atrial fibrillation higher in athletes thanin the general population? A systematic review and meta-analysis. Europace 2009;1:1156-9. https://doi.org/10.1093/europace/eup197.

Andersen K, Farahmand B, Ahlbom A, Held C, Ljunghall S, Michaelsson K, et al. Risk of arrhythmias in 52 755 long-distance crosscountry skiers: a cohort study. Eur Heart J 2013;34:3624-31. https://doi.org/10.1093/eurheartj/eht188.

Aroganam G, Manivannan N, Harrison D. Review on Wearable Technology Sensors Used in Consumer Sport Applications. Sensors (Basel) 2019;19:1983. https://doi.org/10.3390/s19091983

*Brunetti ND, Dellegrottaglie G, Di Giuseppe G, Lopriore, C, Loiacon, T, Gardini G, et al. YOUng Football Italian amateur players Remote electrocardiogram Screening with Telemedicine (YOU FIRST) study: preliminary results. Int J Cardiol 2014;176:1257-8. https://doi.org/10.1016/j.ijcard.2014.07.195*

*Coppetti T, Brauchlin A, Müggler S, Attinger-Toller A, Templin C, Schönrath F, et al. Accuracy of smartphone apps for heart rate measurement. Eur J Prevent Cardiol 2017;24:1287-93. https://doi.org/10.1177/2047487317702044*

*Dobbs WC, Fedewa MV, MacDonald HV, Holmes CJ, Cicone ZS, Plews DJ, et al. The Accuracy of Acquiring Heart Rate Variability from Portable Devices: A Systematic Review and Meta-Analysis. Sports Med 2019;49:417-35. 10.1007/s40279-019-01061-5. https://doi.org/*

*Everett BM, Conen D, Buring JE, Moorthy MV, Lee IM, Albert CM. Physical activity and the risk of incident atrial fibrillation in women. Circulation. Cardiovascular Quality Outcomes, 2011;4:321-7. https://doi.org/10.1161/CIRCOUTCOMES.110.951442*

Faselis C, Kokkinos P, Tsimploulis A, Pittaras A, Myers J, Lavie C, et al. Exercise capacity and atrial fibrillation risk in veterans: a cohort study. Mayo Clin Proc 2019;91:558-65. https://doi.org/10.1016/j.mayocp.2016.03.002.

*Jakicic JM, Davis KK, Rogers RJ, King WC, Marcus MD, Helsel D, et al. Effect of Wearable Technology Combined With a Lifestyle Intervention on Long-term Weight Loss: The IDEA Randomized Clinical Trial. JAMA 2016;316:1161-71. https://doi.org/10.1001/jama.2016.12858*

*Kramer DB, Mitchell SL, Monteiro J, Jones PW, Normand SL, Hayes DL, Reynolds MR. Patient Activity and Survival Following Implantable Cardioverter-Defibrillator Implantation: The ALTITUDE Activity Study. J Am Heart Assoc 2015;4:e001775. https://doi.org/10.1161/JAHA.115.001775.*

Li RT, Kling SR, Salata MJ, Cupp SA, Sheehan J, Voos JE. Wearable Performance Devices in Sports Medicine. Sports Health 2016; 8:74-8. https://doi.org/10.1177/1941738115616917

McConnell MV, Turakhia MP, Harrington RA, King AC, Ashley EA. Mobile Health Advances in Physical Activity, Fitness, and Atrial Fibrillation: Moving Hearts. J Am Coll Cardiol2018;71:2691-701. https://doi.org/10.1016/j.jacc.2018.04.030

*Mozaffarian D, Furberg CD, Psaty BM, Siscovick D. Physical activity and incidence of atrial fibrillation in older adults - The cardiovascular health study. Circulation 2008;118:800-7.*

*Orchard JJ, Neubeck L, Orchard JW, Puranik R, Raju H, Freedman B.. ECG-based cardiac screening programs: Legal, ethical, and logistical considerations. Heart Rhythm 16:1584-91. https://doi.org/10.1016/j.hrthm.2019.03.025*

Pathak RK, Elliott A, Middeldorp ME, Meredith M, Mehta AB, Mahajan R, et al. Impact of CARDIOrespiratory FITness on Arrhythmia Recurrence in Obese Individuals With Atrial Fibrillation: the CARDIO-FIT Study. J Am Coll Cardiol 2015;66:985-66. https://doi.org/10.1016/j.jacc.2015.06.488

Peake JM, Kerr G, Sullivan JP. A Critical Review of Consumer Wearables, Mobile Applications, and Equipment for Providing Biofeedback, Monitoring Stress, and Sleep in Physically Active Populations. Front Physiol 2018;9:743. https://doi.org/10.3389/fphys.2018.00743

Peart DJ, Balsalobre-Fernández C, Shaw MP. Use of Mobile Applications to Collect Data in Sport, Health, and Exercise Science: A Narrative Review. J Strength Cond Res 2019;33:1167-77. https://doi.org/10.1519/JSC.0000000000002344

*Piercy KL, Troiano RP, Ballard RM, Carlson SA, Fulton JE, Galuska DA, et al.The Physical Activity Guidelines for Americans. JAMA 2018;320:2020-8. https://doi.org/10.1001/Journal of the American Medical Association.2018.14854.*

*Rosenberger ME, Buman MP, Haskell WL, McConnell MV, Carstensen LL. Twenty-four Hours of Sleep, Sedentary Behavior, and Physical Activity with Nine Wearable Devices. Med Sci Sports Exerc 2016;4:457-65. https://doi.org/10.1249/MSS.0000000000000778.*

Seshadri DR, Li RT, Voos JE, Rowbottom JR, Alfes CM, Zorman CA, et al.Wearable sensors for monitoring the internal and external workload of the athlete. NPJ Digital Med 2019:2:71.

*Singh N, Moneghetti KJ, Christle JW, Hadley D, Plews D, Froelicher V. Heart Rate Variability: An Old Metric with New Meaning in the Era of Using mHealth technologies for Health and Exercise Training Guidance. Part Two: Prognosis and Training. Arrhythm Electrophysiol Rev 2018;7:247-55. https://doi.org/10.15420/aer.2018.27.2.*

*Sullivan AN,Lachman ME. Behavior Change with Fitness Technology in Sedentary Adults: A Review of the Evidence for Increasing Physical Activity. Front Public Health 2017;4:289. https://doi.org/10.3389/fpubh.2016.00289*

*IQUIVA Institute. The Growing Value of Digital Health: Evidence and Impact on Human Health and the Healthcare System. [Internet] Nov 07, 2017. Available at: https://www.iqvia.com/insights/the-iqvia-institute/reports/the-growing-value-of-digital-health [accessed Jan 31, 2020].*

## 4.6.2.

Abed HS, Wittert GA, Leong DP, Shirazi MG, Bahrami B, Middeldorp ME, et al. Effect of Weight Reduction and Cardiometabolic Risk Factor Management on Symptom Burden and Severity in Patients With Atrial Fibrillation A Randomized Clinical Trial. JAMA 2013;310:2050-60. https://doi.org/10.1001/jama.2013.280521

*Boushey CJ, Spoden M, Zhu FM, Delp EJ, Kerr DA. New mobile methods for dietary assessment: review of image-assisted and image-based dietary assessment methods. Proc Nutrit Soc 2017;76;283-94. https://doi.org/10.1017/S0029665116002913*

Donnellan E, Wazni O, Kanj M, Hussein A, Baranowski B, Lindsay B, et al.Outcomes of Atrial Fibrillation Ablation in Morbidly Obese Patients Following Bariatric Surgery Compared With a Nonobese Cohort. Circ Arrhythm Electrophysiol 2019;12:e007598. https://doi.org/10.1161/CIRCEP.119.007598

Donnellan E, Wazni OM, Kanj M, Baranowski B, Cremer P, Harb S, et al. Association between pre-ablation bariatric surgery and atrial fibrillation recurrence in morbidly obese patients undergoing atrial fibrillation ablation. Europace 2019;21:1476-83 https://doi.org/10.1093/europace/euz183.

Dounavi K, Tsoumani O. Mobile Health Applications in Weight Management: A Systematic Literature Review. Am J PrevMed 2019;56:894-903. https://doi.org/10.1016/j.amepre.2018.12.005

*El-Gayar O, Timsina P, Nawar N, Eid W. Mobile applications for diabetes self-management: status and potential. J Diabetes Sci Technol 2013;7:247-62. https://doi.org/10.1177/193229681300700130.*

*Fang S, Liu C, Zhu F, Delp EJ, Boushey CJ. Single-View Food Portion Estimation Based on Geometric Models. ISM : IEEE International Symposium on Multimedia. ISM;2015:385-390. https://doi.org/10.1109/ISM.2015.67.*

*Folsom AR, Yatsuya H, Nettleton JA, Lutsey PL, Cushman M, Rosamond WD; Investigators AS. Community prevalence of ideal cardiovascular health, by the American Heart Association definition, and relationship with cardiovascular disease incidence. J Am Coll Cardiol 2011;57:1690-6. https://doi.org/10.1016/j.jacc.2010.11.041*

Griffiths C, Harnack L, Pereira MA. Assessment of the accuracy of nutrient calculations of five popular nutrition tracking applications. Public Health Nutr 2018;21:1495-502. https://doi.org/10.1017/S1368980018000393

Pathak RK, Middeldorp ME, Meredith M, Mehta AB, Mahajan R, Sanders P. Long-Term Effect of Goal-Directed Weight Management in an Atrial Fibrillation Cohort A Long-Term Follow-Up Study (LEGACY). J Am Coll Cardiol 2015;65:2159-69. https://doi.org/10.1016/j.jacc.2015.03.002

*Six BL, Schap TE, Zhu FQ, Mariappan A, Bosch M, Delp EJ, Boushey CJ, et al. Evidence-Based Development of a Mobile Telephone Food Record. J Am Diet Assoc 2010 ;110:74-9. https://doi.org/10.1016/10.1016/j.jada.2009.10.010.*

*Zhu FQ, Bosch M, Woo I, Kim S, Boushey CJ, Ebert DS, Delp EJ. The Use of Mobile Devices in Aiding Dietary Assessment and Evaluation. IEEE J Sel Top Signal Process 2010;4:756-66. https://doi.org/10.1109/JSTSP.2010.205147*

## Bibliograf a Secci n 5

Angaran P, Mariano Z, Dragan, V., Zou, L., Atzema, C.L., Mangat, I., Dorian, P. (2015). The Atrial Fibrillation Therapies after ER visit: Outpatient Care for Patients with Acute AF: the AFTER3 study. J Atr Fibrillation 2015;7:1187. https://doi.org/10.4022/jafib.1187

Lin JS, O'Connor EA, Evans CV, Senger CA, Rowland MG, Groom HC. Behavioral Counseling to Promote a Healthy Lifestyle for Cardiovascular Disease Prevention in Persons With Cardiovascular Risk Factors: An Updated Systematic Evidence Review for the U.S. Preventive Services Task Force [Internet] Rockville (MD): Agency for Healthcare Research and Quality (US); U.S. Preventive Services Task Force Evidence Syntheses, formerly Systematic Evidence Reviews 2014. Report No.: 13-05179-EF-1.

Hendriks JM, de Wit R, Crijns HJ, Vrijhoef HJ, Prins MH, Pisters R, et al. Nurse-led care vs. usual care for patients with atrial fibrillation: results of a randomized trial of integrated chronic care vs. routine clinical care in ambulatory patients with atrial fibrillation. Eur Heart J 2012;33:2692-9. https://doi.org/10.1093/eurheartj/ehs071

## 5.1.

Chow CK, AriyarathnaN, Islam SM, Thiagalingam A, Redfern J. mHealth in Cardiovascular Health Care. Heart Lung Circ 2016;25: 802-7. https://doi.org/10.1016/j.hlc.2016.04.009

Coorey GM, Neubeck L, Mulley J, Redfern J. Effectiveness, acceptability and usefulness of mobile applications for cardiovascular disease self-management: Systematic review with meta-synthesis of quantitative and qualitative data. Eur J Prev Cardiol 2018;25:505-21. https://doi.org/10.1177/2047487317750913

Gandhi S, Chen S, Hong L, Sun K, Gong E, Li C, et al. Effect of Mobile Health Interventions on the Secondary Prevention of Cardiovascular Disease: Systematic Review and Meta-analysis. Can J Cardiol 2017;33:219-31. https://doi.org/ 10.1016/j.cjca.2016.08.017

*Guo Y, Chen Y, Lane DA, Liu L, Wang Y, Lip GY. Mobile health technology for atrial fibrillation management integrating decision support, education and patient involvement: mAF App trial. Am J Med 2017;130:1388-96.e6. https://doi.org/ 10.1016/j.amjmed.2017.07.003.*

Hagglund E, Lynga P, Frie F, Ullman B, Persson H, Melin M, Hagerman I. Patient-centred home-based management of heart failure. Findings from a randomised clinical trial evaluating a tablet computer for self-care, quality of life and effects on knowledge. Scand Cardiovasc J 2015;49:193-9. https://doi.org/10.3109/14017431.2015.1035319

*Kotecha D, Chua WW, Fabritz L, Hendriks J, Casadei B, Schotten U, et al. European Society of Cardiology (ESC) Atrial Fibrillation Guidelines Taskforce, the CATCH ME consortium and the European Heart Rhythm Association (EHRA). European Society of Cardiology smartphone and tablet applications for patients with atrial fibrillation and their health care providers. Europace 2018; 20:225-33. https://doi.org/10.1093/europace/eux299.*

Park LG, Beatty A, Stafford Z, Whooley MA. Mobile Phone Interventions for the Secondary Prevention of Cardiovascular Disease. Prog Cardiovasc Dis 2016;58:639-50. https://doi.org/10.1016/j.pcad.2016.03.002

Pfaeffli Dale L, Dobson R, Whittaker R, Maddison R. The effectiveness of mobile-health behaviour change interventions for cardiovascular disease self-management: A systematic review. Eur J Prev Cardiol 2016;23:801-17. https://doi.org/10.1177/2047487315613462

Slotwiner DJ, Tarakji KG, Al-Khatib SM, Passman RS, Saxon LA, Peters NS. Transparent sharing of digital health data: A call to action. Heart Rhythm 2019;16, e95-e106. https://doi.org/10.1016/j.hrthm.2019.04.042.

Walsh JA 3rd, Topol EJ, Steinhubl SR. Novel wireless devices for cardiac monitoring. Circulation 2014;130:573-81 https://doi.org/10.1161/CIRCULATIONAHA.114.009024.

Varnfield M, Karunanithi M, Lee CK, Honeyman E, Arnold D, Ding H, Smith C, Walters DL. Smartphone-based home care model improved use of cardiac rehabilitation in postmyocardial infarction patients: results from a randomised controlled trial. Heart 2014;100:1770-9. https://doi.org/10.1136/heartjnl-2014-305783

U.S. Department of Veterans Affairs. VA to provide capability for veterans to access their VA health data on Apple iPhones. Available at: https://www.va.gov/ opa/pressrel/pressrelease.cfm?id55199

## 5.2.

Blondon, K., Meyer, P., Lovis, C., Ehrler, F. Gamification and mHealth: a model to bolster cardiovascular disease self-management. Swiss Medical Informatics. Available at: www.medical-informatics.ch. https://doi.org/10.4414/smi.33.00398

Chow CK, Redfern J, Hillis GS, Thakkar J, Santo K, Hackett ML, et al. Effect of Lifestyle-Focused Text Messaging on Risk Factor Modification in Patients With Coronary Heart Disease: A Randomized Clinical Trial. JAMA 2015;314:1255-63. https://doi.org/10.1001/jama.2015.10945

Conroy DE, Yang CH, Maher JP. Behavior change techniques in top-ranked mobile apps for physical activity. Am J Prev Med 2014;46:649-52 https://doi.org/10.1016/j.amepre.2014.01.010

Coorey GM, Neubeck L, Mulley J, Redfern J. Effectiveness, acceptability and usefulness of mobile applications for cardiovascular disease self-management: Systematic review with meta-synthesis of quantitative and qualitative data. Eur J Prev Cardiol 2018;25:505-21. https://doi.org/10.1177/2047487317750913.

Cugelman B. Gamification: what it is and why it matters to digital health behavior change developers. JMIR Serious Games 2013; 1:e3. https://doi.org/10.2196/games.3139

Direito A, Dale LP, Shields E, Dobson R, Whittaker R, Maddison R. Do physical activity and dietary smartphone applications incorporate evidence-based behaviour change techniques? BMC Public Health 2014;14:646. https://doi.org/10.1186/1471-2458-14-646

Edwards EA, Lumsden J, Rivas C, Steed L, Edwards LA, Thiyagarajan A, et al. Gamification for health promotion: systematic review of behaviour change techniques in smartphone apps. Br Med J Open 2016;6:e012447. https://doi.org/10.1186/ 10.1136/bmjopen-2016-012447

Gandhi S, Chen S, Hong L, Sun K, Gong E, Li C, et al. Effect of Mobile Health Interventions on the Secondary Prevention of Cardiovascular Disease: Systematic Review and Meta-analysis. Can J Cardiol 2017;33:219-31. https://doi.org/10.1016/j.cjca.2016.08.017

Gustafson DH, McTavish FM, Chih MY, Atwood AK, Johnson RA, Boyle MG, et al. A smartphone application to support recovery from alcoholism: a randomized clinical trial. JAMA Psychiatry 2014;71566-72. https://doi.org/10.1001/jamapsychiatry.2013.4642

Johnson D, Deterding S, Kuhn KA, Staneva A, Stoyanov S, Hides L. Gamification for health and wellbeing: A systematic review of the literature. Internet Interv 2016;6:89-106. https://doi.org/10.1016/j.invent.2016.10.002.

Nahum-Shani I, Smith SN, Spring BJ, Collins LM, Witkiewitz K, Tewari A, Murphy SA. Just-in-Time Adaptive Interventions (JITAIs) in Mobile Health: Key Components and Design Principles for Ongoing Health Behavior Support. Ann Behav Med 2018:52:446-62. https://doi.org/10.1007/s12160-016-9830-8

Nahum-Shani, I., Hekler, E.B., Spruijt-Metz, D. Building health behavior models to guide the development of just-in-time adaptive interventions: A pragmatic framework. Health Psychol 2015;34s:1209-19. https://doi.org/10.1037/hea0000306

Park LG, Beatty A, Stafford Z, Whooley MA. Mobile Phone Interventions for the Secondary Prevention of Cardiovascular Disease. Prog Cardiovasc Dis 2016;58:639-50. https://doi.org/10.1016/j.pcad.2016.03.002

Patrick K, Raab F, Adams MA, Dillon L, Zabinski M, Rock, CL. A text message-based intervention for weight loss: randomized controlled trial. J Med Internet Res 2009;11:e1. https://doi.org/10.2196/jmir.1100

Pfaeffli Dale L, Dobson R, Whittaker R, Maddison R. The effectiveness of mobile-health behaviour change interventions for cardiovascular disease self-management: A systematic review. EurJ Prev Cardiol 2016;23:801-817 https://doi.org/10.1177/2047487315613462

Riley W, Obermayer J, Jean-Mary J. Internet and mobile phone text messaging intervention for college smokers. J Am Coll Health 2008;57:245-8

Rumsfeld JS, Alexander KP, Goff DC Jr, Graham MM, Ho PM, Masoudi FA, et al. American Heart Association Council on Quality of Care and Outcomes Research, Council on Cardiovascular and Stroke Nursing, Council on Epidemiology and Prevention, Council on Peripheral Vascular Disease, and Stroke Council. Cardiovascular Health: The Importance of Measuring Patient-Reported Health Status A Scientific Statement From the American Heart Association. Circulation 2013;127:2233-49. https://doi.org/10.1161/CIR.0b013e3182949a2e.

Sardi L, Idri A, Fernandez-Aleman JL. A systematic review of gamification in e-Health. J Biomed Inform 2017;71:31-48 https://doi.org/10.1016/j.jbi.2017.05.011

Varma N, Piccini JP, Snell J, Fischer A, Dalal N, Mittal S. The Relationship Between Level of Adherence to Automatic Wireless Remote Monitoring and Survival in Pacemaker and Defibrillator Patients. J Am Coll Cardiol 2015;65:2601-10. https://doi.org/10.1016/j.jacc.2015.04.033

## 5.3.

Besaleva LI, Weaver AC. CrowdHelp: m-Health Application for Emergency Response Improvement through Crowdsourced and Sensor-Detected Information 2014.Available at https://ieeexplore.ieee.org/document/6693335. https://doi.org/10.1109/WTS.2014.6835005

Fox S. The Social Life of Health Information, https://www.pewresearch.org/fact-tank/2014/01/15/the-social-life-of-health-information/

Swan M. Emerging patient-driven health care models: an examination of health social networks, consumer personalized medicine and quantified self-tracking. Int J Environ Res Pub Health 2009;6:492-525. https://doi.org/10.3390/ijerph6020492

Swan M. Health 2050: The Realization of Personalized Medicine through Crowdsourcing, the Quantified Self, and the Participatory Biocitizen. J Pers Med 2012;2:93-118. https://doi.org/10.3390/jpm2030093

## 5.4.

Burke LE, Ma J, Azar KM, Bennett GG, Peterson ED, Zheng Y. American Heart Association Publications Committee of the Council on Epidemiology and Prevention, Behavior Change Committee of the Council on Cardiometabolic Health, Council on Cardiovascular and Stroke Nursing, Council on Functional Genomics and Translational Biology, Council on Quality of Care and Outcomes Research, and Stroke Council. Current Science on Consumer Use of Mobile Health for Cardiovascular Disease Prevention: A Scientific Statement From the American Heart Association. Circulation 2015;312:1157-213. https://doi.org/10.1161/CIR.0000000000000232.

Chaudhry SI, MatteraJA, Curtis JP, Spertus JA, Herrin J, Lin Z. Telemonitoring in patients with heart failure. New Engl J Med 2010;363:2301-9. https://doi.org/10.1056/NEJMoa1010029

Dunton GF. Sustaining Health-Protective Behaviors Such as Physical Activity and Healthy Eating. JAMA 2018;320:639-40. https://doi.org/10.1001/Journal of the American Medical Association.2018.6621

Flores Mateo, G, Granado-Font E, Ferre-Grau C, Ferré-Grau C, Montaña-Carreras X. Mobile Phone Apps to Promote Weight Loss and Increase Physical Activity: A Systematic Review and Meta-Analysis. J Med Internet Res 2015;17:e253. https://doi.org/10.2196/jmir.4836

Fukuoka Y, Gay C, Haskell W, Arai S, Vittinghoff E. Identifying Factors Associated With Dropout During Prerandomization Run-in Period From an mHealth Physical Activity Education Study: The mPED Trial. JMIR Mhealth Uhealth 2015;3:e34. https://doi.org/10.2196/mhealth.3928

Kumar S, Nilsen WJ, Abernethy A, Atienza A, Patrick K, Pavel M, et al. Mobile health technology evaluation: the mHealth evidence workshop. Am J Prev Med 2013;45:228-36. https://doi.org/10.1016/j.amepre.2013.03.017

Morgan JM, Kitt S, Gill J, McComb JM, Ng, GA, Raftery J, et al.Remote management of heart failure using implantable electronic devices. Eur Heart J 2017;38:2352-60. https://doi.org/10.1093/eurheartj/ehx227

National Heart Foundation of Australia. My Heart, My Life. Available at https://myheartmylife.org.au/ Accessed 8th October 2014. 2014.

Owen JE, Jaworski BK, Kuhn E, Makin-Byrd KN, Ramsey KM, Hoffman JE. mHealth in the Wild: Using Novel Data to Examine the Reach, Use, and Impact of PTSD Coach. JMIR Mental Health 2015;2:e7. https://doi.org/10.2196/mental.3935

Perez MV, Mahaffey KW, Hedlin H, Rumsfeld JS, Garcia A, Ferris T, et al. Apple Heart Study Investigators. Large-Scale Assessment of a Smartwatch to Identify Atrial Fibrillation. New Engl J Med 381:1909-17. https://doi.org/10.1056/NEJMoa1901183.

Simblett S, Greer B, Matcham F, Curtis H, Polhemus A, Ferrão J, Gamble P, Wykes T. Barriers to and facilitators of engagement with remote measurement technology for managing health: systematic review and content analysis of findings. J Med Internet Res 2018;20:e10480. https://doi.org/10.1056/NEJMoa1901183

Steinhubl SR, Muse ED, Topol EJ. The emerging field of mobile health. SciTransl Med 2015;7:283rv283 https://doi.org/10.1126/scitranslmed.aaa3487

Whitehead L, Seaton P. The Effectiveness of Self-Management Mobile Phone and Tablet Apps in Long-term Condition Management: A Systematic Review. J Med Internet Res 2016;18:e97. https://doi.org/10.1126/scitranslmed.aaa3487

Varma N, Michalski J, Stambler B, Pavri BB; TRUST Investigators. Superiority of automatic remote monitoring compared with in-person evaluation for scheduled ICD follow-up in the TRUST trial - testing execution of the recommendations. Eur Heart J 2014;35:1345-52. https://doi.org/10.1093/eurheartj/ehu066.

Varma N. Remote Patent Management Of Heart Failure Patients - How Long Should It Go On? Lancet Digital health 2019;2: https://doi.org/10.1016/S2589-7500(19)30221-3

American Heart Association. Sustaining healthy behaviours (AHA Simple 7). Available at https://www.heart.org/en/healthy-living/healthy-lifestyle/my-life-check--lifes-simple-7. Accessed 14th February 2019.

British Heart Foundation. Our healthy recipe finder app. Available at http://www.bhf.org.uk/heart-health/prevention/healthy-eating/our-healthy-recipe-finder-app.aspx. Accessed 8th October 2014.

Canadian Heart and Stroke Foundation. Heart and stroke etools for a healthier you. Available at http://www.heartandstroke.com/site/c.ikIQLcMWJtE/b.8324551/k.972C/_30_days.htm?utm_campaign=offline&utm_source=30days&utm_medium=vanity. Accessed 8th October2014. 2014.

Inside wearables: how the science of human behavior change offers the secret to long-term. Endeavour Partners, 2017 https://medium.com/@endeavourprtnrs/inside-wearable-how-the-science-of-human-behavior-change-offers-the-secret-to-long-term-engagement-a15b3c7d4cf3

## 5.5.

Bhavnani SP, Sola S, Adams D, Venkateshvaran A, Dash PK, Sengupta PP; ASEF-VALUES Investigators. A Randomized Trial of Pocket-Echocardiography Integrated Mobile Health Device Assessments in Modern Structural Heart Disease Clinics. Cardiovasc Imag 2017;11:546-57. https://doi.org/10.1016/j.jcmg.2017.06.019.

Coorey GM, Neubeck L, Mulley J, Redfern J. Effectiveness, acceptability and usefulness of mobile applications for cardiovascular disease self-management: Systematic review with meta-synthesis of quantitative and qualitative data. Eur J Prev Cardiol 2018 25, 505-521. https://doi.org/10.1177/2047487317750913.

Gallagher R, Roach K, Sadler L, Glinatsis H, Belshaw J, Kirkness A, et al. Mobile Technology Use Across Age Groups in Patients Eligible for Cardiac Rehabilitation: Survey Study. JMIR Mhealth Uhealth 2017;5:e161. https://doi.org/10.2196/mhealth.8352

Martin T. Assessing mHealth: opportunities and barriers to patient engagement. J Health Care Poor Underserved 2012;23:935-41. https://doi.org/10.1353/hpu.2012.0087

Neubeck L, Lowres N, Benjamin EJ, Freedman SB, Coorey G, Redfern J. The mobile revolution--using smartphone apps to prevent cardiovascular disease. Nat Rev Cardiol 2015;12:350-60. https://doi.org/10.1038/nrcardio.2015.34

Neubeck L, Cartledge S, Dawkes S, Gallagher R. Is there an app for that? Mobile phones and secondary prevention of cardiovascular disease. Curr Opin Cardiol;32:567-71. https://doi.org/10.1097/HCO.0000000000000428

Smith A. Record shares of Americans now own smartphones, have home broadband. Pew Research Center. https://www.pewresearch.org/fact-tank/2017/01/12/evolution-of-technology/

Tarakji KG, Vives CA, Patel AS, Fagan DH, Sims JJ, Varma N. Success of pacemaker remote monitoring using app-based technology: does patient age matter? Pacing Clin Electrophysiol 2018;41:1329-35. https://doi.org/10.1111/pace.13461

Mobile Fact Sheet, 2018. https://www.pewresearch.org/internet/fact-sheet/mobile/

Redfern J, Santo K, Coorey G, Thakkar J, Hackett M, Thiagalingam A, Chow CK. Factors Influencing Engagement, Perceived Usefulness and Behavioral Mechanisms Associated with a Text Message Support Program. PLoS One 2016;11, e0163929. https://doi.org/10.1371/journal.pone.0163929

Varma N. Remote Patent Management Of Heart Failure Patients - How Long Should It Go On? Lancet Digital Health 2020;2 https://doi.org/10.1016/S2589-7500(19)30221-3

## Bibliograf a Secci n 6

Andrade JG, Champagne J, Dubuc M, Deyell MW, Verma A, Macle L, et al; CIRCA-DOSE Study Investigators. Cryoballoon or Radiofrequency Ablation for Atrial Fibrillation Assessed by Continuous Monitoring: A Randomized Clinical Trial. Circulation 2019:140:1779-88. https://doi.org/10.1161/CIRCULATIONAHA.119.042622

Chen LY, Chung MK, Allen LA, Ezekowitz M, Furie KL, McCabe P, et al; American Heart Association Council on Clinical Cardiology; Council on Cardiovascular and Stroke Nursing; Council on Quality of Care and Outcomes Research; and Stroke Council. Atrial Fibrillation Burden: Moving Beyond Atrial Fibrillation as a Binary Entity: A Scientific Statement From the American Heart Association. Circulation 2018;137:e623-e644. https://doi.org/10.1161/CIR.0000000000000568

Glotzer TV, Daoud EG, Wyse DG, Singer DE, Ezekowitz MD, Hilker C, et al-The relationship between daily atrial tachyarrhythmia burden from implantable device diagnostics and stroke risk: the TRENDS study. Circulation Arrhyth Electrophysiol 2019;2:474-80. https://doi.org/10.1161/CIRCEP.109.849638

Guo X, Vittinghoff E, Olgin JE, Marcus GM, Pletcher MJ. Volunteer Participation in the Health eHeart Study: A Comparison with the US Population. Sci Rep 2017;7:1956. https://doi.org/10.1038/s41598-017-02232-y.

Guo Y, Wang H, Zhang H, Liu T, Liang Z, Xia Y, et al; MAFA II Investigators. Mobile Photoplethysmographic Technology to Detect Atrial Fibrillation. J Am Coll Cardiol 2019;74:2365-75. https://doi.org/10.1016/j.jacc.2019.08.019.

Guo Y, Lane DA, Wang L, Zhang H, Wang H, Zhang W, et al;mAF-App II Trial Investigators. Mobile Health Technology to Improve Care for Patients With Atrial Fibrillation. J Am Coll Cardiol 75:1523-34. https://doi.org/10.1016/j.jacc.2020.01.052

Kaplan RM, Koehler J, Ziegler PD, Sarkar S, Zweibel S, Passman RS. Stroke Risk as a Function of Atrial Fibrillation Duration and CHA2DS2-VASc Score. Circulation 2019;140:1639-46. https://doi.org/10.1161/CIRCULATIONAHA.119.041303

Nguyen KT, Olgin JE, Pletcher MJ, Ng M, Kaye L, Moturu S, et al. Smartphone-Based Geofencing to Ascertain Hospitalizations. Circ Cardiovasc Qual Outcomes 2017;10: e003326. https://doi.org/10.1161/CIRCOUTCOMES.116.003326

Passman R, Leong-Sit P, Andrei AC, Huskin A, Tomson TT, Bernstein R,et al. Targeted Anticoagulation for Atrial Fibrillation Guided by Continuous Rhythm Assessment With an Insertable Cardiac Monitor: The Rhythm Evaluation for Anticoagulation With Continuous Monitoring (REACT.COM) Pilot Study. J Cardiovasc Electrophysiol 2016;27:264-70. https://doi.org/doi: 10.1111/jce.12864.

Perez MV, Mahaffey KW, Hedlin H, Rumsfeld JS5, Garcia A, Ferris T, et al. Apple Heart Study Investigators. Large-Scale Assessment of a Smartwatch to Identify Atrial Fibrillation. N Engl J Med 2019;381,1909-17. https://doi.org/10.1056/NEJMoa1901183.

Piccini JP, Clark RL, Kowey PR, Mittal S, Dunnmon P, Stockbridge N, et al. Long-term electrocardiographic safety monitoring in clinical drug development: A report from the Cardiac Safety Research Consortium. Am Heart J 2017;187:156-69. https://doi.org/10.1016/j.ahj.2017.01.012

Piccini JP, Passman R, Turakhia M, Connolly AT, Nabutovsky Y, Varma N. Atrial fibrillation burden, progression, and the risk of death: a case-crossover analysis in patients with cardiac implantable electronic devices. Europace 2019:21:404-13. https://doi.org/10.1093/europace/euy222

Turakhia MP, Desai M, Hedlin H, Rajmane A, Talati N, Ferris T, et al. Rationale and design of a large-scale, app-based study to identify cardiac arrhythmias using a smartwatch: The Apple Heart Study. Am Heart J 2019;207:66-75. https://doi.org/10.1016/j.ahj.2018.09.002

Van Gelder IC, Groenveld HF, Crijns HJ, Tuininga YS, Tijssen JG, Alings AM, et al.; RACE II Investigators. Lenient versus rate control in patients with atrial fibrillation. N EngJ Med 2010;362:1363-73. https://doi.org/10.1056/NEJMoa1001337.

Varma, N, StamblerB, Chun S. Detection of atrial fibrillation by implanted devices with wireless data transmission capability. Pacing Clin Electrophysiol 2005;28 (Suppl 1):S133-6.

Varma N, Marrouche NF, Aguinaga L, Albert CM, Arbelo E, Choi JI, et al. HRS/EHRA/APHRS/LAHRS/ACC/AHA Worldwide Practical Guidance for Telehealth and Arrhythmia Monitoring During and After a Pandemic. J Am Coll Cardiol 2020;10:S0735-1097(20)35623-0. https://doi.org/10.1016/j.jacc.2020.06.019.

Wong JA, Conen D, Van Gelder IC, McIntyre WF, Crijns HJ, Wang J, et al. Progression of Device-Detected Subclinical Atrial Fibrillation and the Risk of Heart Failure. J Am Coll Cardiol 2019;71:2603-11. https://doi.org/10.1016/j.jacc.2018.03.519
https://www.mobihealthnews.com/news/fitbit-launches-large-scale-consumer-health-study-detect-fib-heart-rate-sensors-algorithm.

## Bibliograf a Secci n 7

### 7.1

Chow CK, Redfern J, Hillis GS, Thakkar J, Santo K, Hackett, ML, et al. Effect of Lifestyle-Focused Text Messaging on Risk Factor Modification in Patients With Coronary Heart Disease: A Randomized Clinical Trial. JAMA 2015;314:1255-63. https://doi.org/10.1001/jama.2015.10945

Ratwani RM, Savage E, Will A, Arnold R, Khairat S, Miller K, et al. A usability and safety analysis of electronic health records: a multi-center study. J Am Med Inform Assoc 2018;25:1197-201. https://doi.org/10.1093/jamia/ocy088.

Slotwiner DJ, Abraham RL, Al-Khatib SM, Anderson HV, Bunch TJ, Ferrara MG, et al. HRS White Paper on interoperability of data from cardiac implantable electronic devices (CIEDs). Heart Rhythm 2019;16:e107-27. https://doi.org/10.1016/j.hrthm.2019.05.002.

*Spaulding EM, Marvel FA, Lee MA, Yang WE, Demo R, Wang J, et al. Corrie Health Digital Platform for Self-Management in Secondary Prevention After Acute Myocardial Infarction. CircCardiovasc Qual Outcomes 2019;12:e005509. https://doi.org/10.1161/CIRCOUTCOMES.119.005509 https://www.iso.org/standard/63904.html.*

### 7.2.

*Gollakota S, Hassanieh H, Ransford B, Katabi D, Fu K. They Can Hear Your Heartbeats: Non-Invasive Security for Implantable Medical Devices. https://dl.acm.org/doi/10.1145/2043164.2018438*

Jalali MS, Russell B, Razak S, Gordon WJ. EARS to cyber incidents in health care. J Am Med Inform Assoc 2019;26:81-90 https://doi.org/10.1093/jamia/ocy148

*Klonoff DC. Cybersecurity for Connected Diabetes Devices. JDiabetes Sci Technol 2015;,9:1143-7 https://doi.org/10.1177/1932296816647516*

Kruse CS, Frederick B, Jacobson T, Monticone DK. Cybersecurity in healthcare: A systematic review of modern threats and trends. Technol Health Care 2017;25:1-10. https://doi.org/10.3233/THC-161263

Mansfield-Devine S. Ransomware: taking businesses hostage. Network Security 2016;8-17

Hospitals become major target for ransomware. Network Security 2016, 1-2 https://doi.org/10.1016/S1353-4858(16)30031-9

*Perakslis ED. Cybersecurity in health care. NEngl J Med 2014; 371:395-7. https://doi.org/10.1056/NEJMp1404358*

*Saxon LA, Varma N, Epstein LM, Ganz LI, Epstein AE. Factors Influencing the Decision to Proceed to Firmware Upgrades to Implanted Pacemakers for Cybersecurity Risk Mitigation. Circulation 2018;138. https://doi.org/10.1161/CIRCULATIONAHA.118.034781*

Shanon CE. Bell System Technical Journal 1949. 28‘ Communication theory of secrecy systems’.

Shuren J, Patel B, Gottlieb S. FDA Regulation of Mobile Medical Apps. JAMA 2018;320:337-8 https://doi.org/10.1001/jama.2018.8832.

*Voelker R. FDA Joins New Effort to Strengthen Medical Device Cybersecurity. JAMA 2018; 320:1970 https://doi.org/10.1001/jama.2018.17834*

### 7.3.

Bruining N, Caiani E, Chronaki C, Guzik P, van der Velde E, Task Force of the e-Cardiology W. Acquisition and analysis of cardiovascular signals on smartphones: potential, pitfalls and perspectives: by the Task Force of the e-Cardiology Working Group of European Society of Cardiology. Eur J Prev Cardiol 2014;21(2Suppl):4-13. https://doi.org/10.1177/2047487314552604

*Crossley GH, Boyle A, Vitense H, Chang Y, Mead RH, CONNECT Investigators. The CONNECT (Clinical Evaluation of Remote Notification to Reduce Time to Clinical Decision) trial: the value of wireless remote monitoring with automatic clinician alerts. J Am Coll Cardiol 57;1181-910. https://doi.org/1016/j.jacc.2010.12.012*

Feldman DI, Robison TW, Pacor JM, Caddell LC, Feldman EB, Deitz RL, et al. Harnessing mHealth technologies to increase physical activity and prevent cardiovascular disease. Clinical Cardiol 2018;41:985-91 https://doi.org/10.1002/clc.22968.

*Guedon-Moreau L, Lacroix D, Sadoul N, Clementy J, Kouakam C, Hermida JS, Aliot E, Kacet S; ECOST trial Investigators. Costs of remote monitoring vs. ambulatory follow-ups of implanted cardioverter defibrillators in the randomized ECOST study. Europace 2014;16:1181-8. https://doi.org/10.1093/europace/euu012*

*Heidbuchel H, Hindricks G, Broadhurst P, Van Erven L, Fernandez-Lozano I, Rivero-Ayerza M, et al. EuroEco (European Health Economic Trial on Home Monitoring in ICD Patients): a provider perspective in five European countries on costs and net financial impact of follow-up with or without remote monitoring. Eur Heart J 2015;36:158-69. https://doi.org/10.1093/eurheartj/ehu339*

Hindricks G, Taborsky M, Glikson M, Heinrich U, Schumacher B, Katz A, et al; IN-TIME study group. Implant-based multiparameter telemonitoring of patients with heart failure (IN-TIME): a randomised controlled trial. Lancet 2014;384:583-9010. https://doi.org/1016/S0140-6736(14)61176-4

*Jiang X, Ming WK, You J. The Cost-Effectiveness of Digital Health Interventions on the Management of Cardiovascular Diseases: Systematic Review. J Med Internet Res 2019;21:e13166. https://doi.org/10.2196/13166*

*Mabo P, Victor F, Bazin P, Ahres S, Babuty D, Da Costa A, et al.; COMPAS Trial Investigators. A randomized trial of long-term remote monitoring of pacemaker recipients (the COMPAS trial). Eur Heart J 2012;33:1105-11 https://doi.org/10.1093/eurheartj/ehr419*

*Orchard JJ, Neubeck L, Freedman B, Webster R, Patel A, Gallagher R, et al. Atrial Fibrillation Screen, Management and Guideline Recommended Therapy (AF SMART II) in the rural primary care setting: an implementation study protocol. Br Med JOpen 2018;8:e023130. https://doi.org/10.1136/bmjopen-2018-023130*

Treskes RW, van der Velde ET, Barendse R, Bruining N. Mobile health in cardiology: a review of currently available medical apps and equipment for remote monitoring. Expert Rev Med Devices 2016;13:23-30. https://doi.org/10.1080/17434440.2016.1218277

Varma N, Epstein AE, Irimpen A, Schweikert R, Love C; TRUST Investigators. Efficacy and safety of automatic remote monitoring for implantable cardioverter-defibrillator follow-up: the Lumos-T Safely Reduces Routine Office Device Follow-up (TRUST) trial. Circulation 2010;122:325-32. https://doi.org/10.1161/CIRCULATIONAHA.110.937409

Varma N, Michalski J, Epstein AE, Schweikert R. Automatic remote monitoring of implantable cardioverter-defibrillator lead and generator performance: the Lumos-T Safely RedUceS RouTine Office Device Follow-Up (TRUST) trial. Circ Arrhyth Electrophysiol 2010;3:428-36. https://doi.org/10.1161/CIRCEP.110.951962

## 7.4.

*Lee TT, Kesselheim AS. U.S. Food and Drug Administration Precertification Pilot Program for Digital Health Software: Weighing the Benefits and Risks. Ann Intern Med 2018;168:730-2. https://doi.org/10.7326/M17-2715*

*Shuren J, Patel B, Gottlieb S. FDA Regulation of Mobile Medical Apps. JAMA 2018;320:337 8.https://doi.org/10.1001/jama.2018.8832*

*Center for Devices, Radiological Health. Digital Health. In: U.S. Food and Drug Administration [Internet]. 12 May 2019 [cited 20 Jan 2020]. Available: https://www.fda.gov/medical-devices/digital-health*

PRE-CERT https://www.fda.gov/medical-devices/digital-health-software-precertification-pre-cert-program/precertification-pre-cert-pilot-program-milestones-and-next-steps

## Bibliograf a Secci n 8

Attia ZI, Kapa S, Lopez-Jimenez F, McKie PM, Ladewig DJ, Satam G,et al. Screening for cardiac contractile dysfunction using an artificial intelligence-enabled electrocardiogram. Nat Med 2019;25:70-4. https://doi.org/10.1038/s41591-018-0240-2

Attia ZI, Noseworthy PA, Lopez-Jimenez F, Asirvatham SJ, Deshmukh AJ, Gersh BJ, et al. An artificial intelligence-enabled ECG algorithm for the identification of patients with atrial fibrillation during sinus rhythm: a retrospective analysis of outcome prediction. Lancet 2019;394:861-7. https://doi.org/10.1016/S0140-6736(19)31721-0

*Awan SE, Bennamoun M, Sohel F, Sanfilippo FM, Dwivedi G. Machine learning-based prediction of heart failure readmission or death: implications of choosing the right model and the right metrics. ESC Heart Fail 2019;6:428-35 https://doi.org/10.1002/ehf2.12419*

Bumgarner JM, Lambert CT, Hussein AA, Cantillon DJ, Baranowski B, Wolski K, et al. Smartwatch Algorithm for Automated Detection of Atrial Fibrillation. J Am Coll Cardiol 2019;71:2381-8. https://doi.org/10.1016/j.jacc.2018.03.003

*Chamsi-Pasha MA, Sengupta PP, Zoghbi WA. Handheld Echocardiography: Current State and Future Perspectives. Circulation 2017;136:2178-88. https://doi.org/10.1161/CIRCULATIONAHA.117.026622*

*Clifton DA, Niehaus KE, Charlton P, Colopy GW. Health Informatics via Machine Learning for the Clinical Management of Patients. Yearb Med Inform 2015;10:38-43. https://doi.org/10.15265/IY-2015-014*

Davenport T, Kalakota R. The potential for artificial intelligence in healthcare. Future Healthc J2019;94-8. https://doi.org/10.7861/futurehosp.6-2-94

*Frizzell JD, Liang L, Schulte PJ, Yancy CW, Heidenreich PA, Hernandez AF, et al. Prediction of 30-Day All-Cause Readmissions in Patients Hospitalized for Heart Failure: Comparison of Machine Learning and Other Statistical Approaches. JAMA Cardiol 2017;2:204-9. https://doi.org/10.1001/jamacardio.2016.3956.*

*Goto S, Goto S, Pieper KS, Bassand JP, Camm AJ., Fitz Maurice, D.A, et al ; GARFIELD-AF Investigators. (2019). New AI Prediction Model Using Serial PT-INR Measurements in AF Patients on VKAs: GARFIELD-AF. Eur Heart JCardiovasc Pharmacother [Internet]. 2019 Dec 10; Available from: http://dx.doi.org/10.1093/ehjcvp/pvz076*

Halcox JP, Wareham K, Cardew A, Gilmore M, Barry JP, Phillips C.Gravenor MB. Assessment of Remote Heart Rhythm Sampling Using the AliveCor Heart Monitor to Screen for Atrial Fibrillation: The REHEARSE-AF Study. Circulation 2017;136:1784-94. https://doi.org/10.1161/CIRCULATIONAHA.117.030583

Hannun AY, Rajpurkar P, Haghpanahi M, Tison GH, Bourn C, Turakhia MP, Ng AY. Cardiologist-level arrhythmia detection and classification in ambulatory electrocardiograms using a deep neural network. Nat Med 2019;25:65-9. https://doi.org/10.1038/s41591-018-0268-3.

*Kagiyama N, Shrestha S, Farjo PD, Sengupta PP. Artificial Intelligence: Practical Primer for Clinical Research in Cardiovascular Disease. J Am Heart Assoc;8:e012788. https://doi.org/ 10.1161/JAHA.119.012788*

Marcolino MS, Oliveira JAQ, D'Agostino M, Ribeiro AL, Alkmim MB, Novillo-Ortiz D. The Impact of mHealth Interventions: Systematic Review of Systematic Reviews. JMIR Mhealth Uhealth 2018;6:e23. http://dx.doi.org/10.2196/mhealth.8873

Nascimento BR, Beaton AZ, Nunes MC, Tompsett AR, Oliveira KK, Diamantino AC, et al; PROVAR+ (Programa de RastreamentO da VAlvopatia Reumática and Other Cardiovascular Diseases) investigators. (2018). Integration of echocardiographic screening by non-physicians with remote reading in primary care. Heart [Internet]. 2018 Sep 4; Available from: http://dx.doi.org/10.1136/heartjnl-2018-313593

Ribeiro AL, Paixão GM, Gomes PR, Ribeiro MH, Ribeiro AH, Canazart JA, et al. Tele-electrocardiography and bigdata: The CODE (Clinical Outcomes in Digital Electrocardiography) study. J Electrocardiol 2019; 57S:S75-S78. http://dx.doi.org/10.1016/j.jelectrocard.2019.09.008

Ribeiro AH, Ribeiro MH, Paixão GM, Oliveira DM, Gomes PR, Canazart JA, et al. Automatic Diagnosis of the Short-Duration 12-Lead ECG using a Deep Neural Network: the CODE Study [Internet]. arXiv [cs.LG]. 2019. Available from: http://arxiv.org/abs/1904.01949

Ribeiro AL, Oliveira GM. Toward a Patient-Centered, Data-Driven Cardiology. Arq Bras Cardiol 2019;112:371-3. http://dx.doi.org/10.5935/abc.20190069

*Safavi KC, Khaniyev T, Copenhaver M, Seelen M, Zenteno Langle AC, Zanger J, et al. Development and Validation of a Machine Learning Model to Aid Discharge Processes for Inpatient Surgical Care. JAMA Netw Open 2019;2:e1917221. http://dx.doi.org/10.1001/jamanetworkopen.2019.17221*

Seetharam K, Kagiyama N, Sengupta PP. Application of mobile health, telemedicine and artificial intelligence to echocardiography. Echo Res Pract 2019;6:R41-52. http://dx.doi.org/10.1530/ERP-18-0081

Smith SW, Walsh B, Grauer K, Wang K, Rapin J, Li J, et al. A deep neural network learning algorithm outperforms a conventional algorithm for emergency department electrocardiogram interpretation. J Electrocardiol 2019;52:88-95. http://dx.doi.org/10.1016/j.jelectrocard.2018.11.013

*Steinhubl SR, Muse ED, Topol EJ. The emerging field of mobile health. Sci Transl Med 62015;7:283rv3 http://dx.doi.org/10.1126/scitranslmed.aaa3487*

*Tripoliti EE, Karanasiou GS, Kalatzis FG, Bechlioulis A, Goletsis Y, Naka K, et al. HEARTEN KMS (2019). A knowledge management system targeting the management of patients with heart failure. J Biomed Inform 2019;94:103203 http://dx.doi.org/10.1016/j.jbi.2019.103203.*

Weng SF, Reps J, Kai J, Garibaldi JM, Qureshi N. Can machine-learning improve cardiovascular risk prediction using routine clinical data? PLoS One 2017;12:e0174944. http://dx.doi.org/10.1371/journal.pone.0174944. eCollection 2017

*Zhang J, Gajjala S, Agrawal P, Tison GH, Hallock LA, Beussink-Nelson L, et al. Fully Automated Echocardiogram Interpretation in Clinical Practice. Circulation 2018;138:1623-35. http://dx.doi.org/10.1161/CIRCULATIONAHA.119.039291*

David Pogue. Yahoo! Finance. Exclusive: What Fitbit's 6 billion nights of sleep data reveals about us. https://finance.yahoo.com/news/exclusive-fitbits-6-billion-nights-sleep-data-reveals-us-110058417.html Accessed Jan 31 2020.

## Bibliograf a Secci n 9

Choi PJ, Oskouian RJ, Tubbs RS. Telesurgery: Past, Present, and Future. Cureus 2018;10:e2716. http://dx.doi.org/10.7759/cureus.2716;

Curry SJ, Krist AH, Owens DK, Barry MJ, Caughey AB, Davidson KW, et al. US Preventive Services Task Force, Screening for Atrial Fibrillation With Electrocardiography: US Preventive Services Task Force Recommendation Statement. JAMA 2018;320:478-84. 1 http://dx.doi.org/0.1001/Journal of the American Medical Association.2018.10321.

Haidegger T, Sándor J, Benyó Z. Surgery in space: the future of robotic telesurgery. Surg Endosc 2011;25:681□90. http://dx.doi.org/10.1007/s00464-010-1243-3

Jiang X, Ming WK, You JH. The Cost-Effectiveness of Digital Health Interventions on the Management of Cardiovascular Diseases: Systematic Review. J Med Internet Res 2019; 21:e13166. http://dx.doi.org/10.2196/13166

Pluymaekers NA., Hermans AN, van der Velden RM, den Uijl DW, Vorstermans B, Buskes S, et al. On-demand app-based rate and rhythm monitoring to manage atrial fibrillation through tele-consultations during COVID-19 [published online ahead of print, 2020 May 8]. Int J Cardiol Heart Vasc 2020;28:100533. http://dx.doi.org/10.1016/j.ijcha.2020.100533

Rosier A, Mabo P, Temal L, Van Hille P, Dameron O, Deléger L, et al.Personalized and automated remote monitoring of atrial fibrillation. Europace 2016:18:347-52. http://dx.doi.org/10.1093/europace/euv234

Shinoda Y, Sato A, Adach T, Nishi I, Nogami A, Aonuma K, Ieda M. Early clinical experience of radiofrequency catheter ablation using an audiovisual telesupport system. Heart Rhythm 2020;17(5 Pt B):870-85. http://dx.doi.org/10.1016/j.hrthm.2020.01.018

Slotwiner DJ, Abraham RL, Al-Khatib SM, Anderson HV, Bunch TJ, Ferrara MG, et al. HRS White Paper on interoperability of data from cardiac implantable electronic devices (CIEDs). Heart Rhythm 2019;16:e107-27. http://dx.doi.org/10.1016/j.hrthm.2019.05.002

Turakhia MP. Diagnosing With a Camera From a Distance—Proceed Cautiously and Responsibly. JAMA Cardiol 2020;5:107. http://dx.doi.org/10.1001/jamacardio.2019.4572

Varma N, Marrouche NF, Aguinaga L, Albert CM, Arbelo E, Choi JI, et al. HRS/EHRA/APHRS/LAHRS/ACC/AHA Worldwide Practical Guidance for Telehealth and Arrhythmia Monitoring During and After a Pandemic. J Am Coll Cardiol 2020;76:1363-74. http://dx.doi.org/10.1016/j.jacc.2020.06.019.

Yan BP, Lai WH, Chan CK, Au AC, Freedman B, Poh YC, et al. High-Throughput, Contact-Free Detection of Atrial Fibrillation From Video With Deep Learning. JAMA Cardiol 2019;5:105-7. http://dx.doi.org/10.1001/jamacardio.2019.

U.S. Department of Health & Human Services. Notification of enforcement discretion for telehealth remote communications during the COVID-19 nationwide public health emergency. 2020; https://www.hhs.gov/hipaa/for-professionals/special-topics/emergency-preparedness/notification-enforcement-discretiontelehealth/index.html?fbclid=IwAR1K7DQLYr6noNgWA6bMqK74orWPv_C_aghKz19au-BNoT0MdQyg-3E8DWI#. Accessed April 19, 2020

U.S. Food & Drug Administration. Enforcement policy for non-invasive remote monitoring devices used to support patient monitoring during the coronavirus disease-2019 (COVID-19) public health emergency. 2020; https://www.fda.gov/regulatory-information/search-fda-guidance-documents/enforcement-policy-non-invasive-remote-monitoring-devices-used-support-patient-monitoring-during. Accessed April 27, 2020
https://bodimetrics.com/product/circul-sleep-and-fitness-ring/
https://ghr.nlm.nih.gov/primer/precisionmedicine/initiative

## TABLES

### Bibliograf a Tabla 2

Bumgarner JM, Lambert CT, Hussein AA, Cantillon DJ, Baranowski B, Wolski K, et al. Smartwatch Algorithm for Automated Detection of Atrial Fibrillation. J Am Coll Cardiol 2018;71:2381-8. http://dx.doi.org/10.1016/j.jacc.2018.03.003

Chan PH, Wong CK, Poh YC, Pun L, Leung WW, Wong YF, et al. Diagnostic Performance of a Smartphone-Based Photoplethysmographic Application for Atrial Fibrillation Screening in a Primary Care Setting. J Am Heart Assoc 2016; 5(:e003428. http://dx.doi.org/10.1161/JAHA.116.003428

Cooke G, Doust J, Sanders S. Is pulse palpation helpful in detecting atrial fibrillation? A systematic review. J Fam Pract 2016;55:130-4

Doliwa PS, Frykman V, Rosenqvist M. Short-term ECG for out of hospital detection of silent atrial fibrillation episodes. Scand Cardiovasc J 2009;43,163-8. http://dx.doi.org/10.1080/14017430802593435

Kearley K, Selwood M, Van den Bruel A, Thompson M, Mant D, Hobbs FR, et al. Triage tests for identifying atrial fibrillation in primary care: a diagnostic accuracy study comparing single-lead ECG and modified BP monitors. BMJ Open 2014;4:e004565. http://dx.doi.org/10.1136/bmjopen-2013-004565

Lau JK, Lowres N, Neubeck L, Brieger DB, Sy RW, Galloway CD, et al. iPhone ECG application for community screening to detect silent atrial fibrillation: a novel technology to prevent stroke. Int J Cardiol 165;193-4 http://dx.doi.org/10.1016/j.ijcard.2013.01.220

McManus DD, Chong JW, Soni A, Saczynski JS, Esa N, Napolitano C, et al. PULSE-SMART: Pulse-Based Arrhythmia Discrimination Using a Novel Smartphone Application. J Cardiovasc Electrophysiol 2016; 27:51-7. http://dx.doi.org/ 10.10.1111/jce.12842.

Proesmans T, Mortelmans C, Van Haelst R, Verbrugge F, Vandervoort P, Vaes B. Mobile Phone-Based Use of the Photoplethysmography Technique to Detect Atrial Fibrillation in Primary Care: Diagnostic Accuracy Study of the FibriCheck App. JMIR Mhealth Uhealth 2019;7:e12284. http://dx.doi.org/10.2196/12284

Tieleman RG, Plantinga Y, Rinkes D, Bartels GL, Posma JL, Cator R, et al. Validation and clinical use of a novel diagnostic device for screening of atrial fibrillation. Europace 2014;16,1291-5 http://dx.doi.org/10.1093/europace/euu057

Wiesel J, Fitzig L, Herschman Y, Messineo FC. Detection of atrial fibrillation using a modified microlife blood pressure monitor. Am J Hypertension 2019;848-52. http://dx.doi.org/10.1038/ajh.2009.98

### Bibliograf a Tabla 3

Berge T, Lyngbakken MN, Ihle-Hansen H, Brynildsen J, Pervez MO, Aagaard EN, et al.Prevalence of atrial fibrillation and cardiovascular risk factors in a 63-65 years old general population cohort: the Akershus Cardiac Examination (ACE) 1950 Study. BMJ Open 2018;,8:e021704. http://dx.doi.org/10.1136/bmjopen-2018-021704

Chan PH, Wong CK, Poh YC, Pun L, Leung WW, Wong YF, et al. Diagnostic Performance of a Smartphone-Based Photoplethysmographic Application for Atrial Fibrillation Screening in a Primary Care Setting. J Am Heart Assoc 2016;5:e003428. http://dx.doi.org/10.1161/JAHA.116.003428

Doliwa R, Sobocinski P, Anggårdh RE, Frykman Kull V, von Arbin M, Wallén H, et al. Improved screening for silent atrial fibrillation after ischaemic stroke. Europace 2012;14:1112-6. http://dx.doi.org/10.1093/europace/eur431.

Engdahl J, Andersson L, Mirskaya M, Rosenqvist M. Stepwise screening of atrial fibrillation in a 75-year-old population: implications for stroke prevention. Circulation 2013 127:930-7. http://dx.doi.org/10.1161/CIRCULATIONAHA.112.126656

Gudmundsdottir K, Fredriksson T, Svennberg E, Al-Khalili F, Friberg L, Frykman V, et al. Stepwise mass screening for atrial fibrillation using N-terminal B-type natriuretic peptide: the STROKESTOP II study. Europace 2020;22:24-32. http://dx.doi.org/10.1093/europace/euz255.

Guo Y, Wang H, Zhang H, Liu T, Liang Z, Xia Y, et al; MAFA II Investigators. Mobile Photoplethysmographic Technology to Detect Atrial Fibrillation. J Am Coll Cardiol 2019;74:2365-75. http://dx.doi.org/10.1016/j.jacc.2019.08.019.

Halcox JP, Wareham K, Cardew A, Gilmore M, Barry JP, Phillips C, et al. Assessment of Remote Heart Rhythm Sampling Using the AliveCor Heart Monitor to Screen for Atrial Fibrillation: The REHEARSE-AF Study. Circulation 2017;136:1784-94. http://dx.doi.org/10.1161/CIRCULATIONAHA.117.030583

Heckbert SR, Austin TR, Jensen PN, Floyd JS, Psaty BM, Soliman EZ, et al. Yield and consistency of arrhythmia detection with patch electrocardiographic monitoring: The Multi-Ethnic Study of Atherosclerosis. J Electrocardiol 2018;51,997-1002. http://dx.doi.org/10.1016/j.jelectrocard.2018.07.027

Kaasenbrood F, Hollander M, de Bruijn SH, Dolmans CP, Tieleman RG, Hoes AW, et al. Opportunistic screening versus usual care for diagnosing atrial fibrillation in general practice: a cluster randomised controlled trial. Br J Gen Pract 2020. pii: bjgp20X708161. http://dx.doi.org/10.3399/bjgp20X708161. [Epub ahead of print]

Lowres N, Neubeck L, Salkeld G, Krass I, McLachlan AJ, Redfern J, et al. Feasibility and cost-effectiveness of stroke prevention through community screening for atrial fibrillation using iPhone ECG in pharmacies. The SEARCH-AF study. Thromb Haemost 2014;111:1167-76. http://dx.doi.org/10.1160/th14-03-0231.

Perez MV, Mahaffey KW, Hedlin H, Rumsfeld JS, Garcia A, Ferris T, et al: Apple Heart Study Investigators. Large-Scale Assessment of a Smartwatch to Identify Atrial Fibrillation. N Engl J Med 2019; 381:1909-17. http://dx.doi.org/10.1056/NEJMoa1901183.

Rooney MR, Soliman EZ, Lutsey PL, Norby FL, Loehr LR, Mosley TH, et al. Prevalence and Characteristics of Subclinical Atrial Fibrillation in a Community-Dwelling Elderly Population: The ARIC Study. Circ Arrhyth Electrophysiol 2019;12:e007390. http://dx.doi.org/10.1161/CIRCEP.119.007390.

Steinhubl SR, Waalen J, Edwards AM, Ariniello LM, Mehta RR, Ebner GS, et al. Effect of a Home-Based Wearable Continuous ECG Monitoring Patch on Detection of Undiagnosed Atrial Fibrillation: The mSToPS Randomized Clinical Trial. JAMA 2018;320:146-55. http://dx.doi.org/10.1001/jama.2018.8102

Svennberg E, Engdahl J, Al-Khalili F, Friberg L, Frykman V, Rosenqvist M. Mass Screening for Untreated Atrial Fibrillation: The STROKESTOP Study. Circulation 2015;131:2176-84. http://dx.doi.org/10.1161/CIRCULATIONAHA.114.014343

Tavernier R, Wolf M, Kataria V, Phlips T, Huys R, Taghji P, et al. Screening for atrial fibrillation in hospitalised geriatric patients. Heart 2018;104:588-93. http://dx.doi.org/10.1136/heartjnl-2017-311981.

Tieleman RG, Plantinga Y, Rinkes D, Bartels GL, Posma JL, Cator R, et al. Validation and clinical use of a novel diagnostic device for screening of atrial fibrillation. Europace 2014;16:1291-5. http://dx.doi.org/10.1093/europace/euu057

Tung CE, Su D, Turakhia MP, Lansberg MG. Diagnostic Yield of Extended Cardiac Patch Monitoring in Patients with Stroke or TIA. Front Neurol 2015;5:266. http://dx.doi.org/10.3389/fneur.2014.00266.

Turakhia MP, Ullal AJ, Hoang DD, Than CT, Miller JD, Friday KJ, et al. Feasibility of extended ambulatory electrocardiogram monitoring to identify silent atrial fibrillation in high-risk patients: the Screening Study for Undiagnosed Atrial Fibrillation (STUDY-AF). Clin Cardiol 2015;38:285-92. http://dx.doi.org/10.1002/clc.22387.

## Bibliograf a Tabla 4.

Boyne JJ, Vrijhoef HJ, Crijns HJ, De Weerd G, Kragten J, Gorgels AP; TEHAF investigators. Tailored telemonitoring in patients with heart failure: results of a multicentre randomized controlled trial. Eur J Heart Fail 2012;14:791-801. http://dx.doi.org/10.1093/eurjhf/hfs058

Chaudhry SI, Mattera JA, Curtis JP, Spertus JA, Herrin J, Lin Z, et al. Telemonitoring in patients with heart failure. N Engl J Med 363:2301-9. http://dx.doi.org/10.1056/NEJMoa1010029.

Koehler F, Winkler S, Schieber M, Sechtem U, Stangl K, Böhm M, et al.Telemedical Interventional Monitoring in Heart Failure Investigators. Impact of remote telemedical management on mortality and hospitalizations in ambulatory patients with chronic heart failure: the Telemedical Interventional Monitoring in Heart Failure study. Circulation 2011;123:1873-80. http://dx.doi.org/ 10.1161/CIRCULATIONAHA.111.018473

Ong MK, Romano PS, Edgington S, Aronow HU, Auerbach AD, Black JT, et al. Better Effectiveness After Transition-Heart Failure (BEAT-HF) Research Group. Effectiveness of remote patient monitoring after discharge of hospitalized patients with heart failure: the Better Effectiveness After Transition-Heart Failure (BEAT-HF) randomized clinical trial. JAMA Intern Med 2016;176:310-8. http://dx.doi.org/10.1001/jamainternmed.2015.7712.

Takahashi PY, Pecina JL, Upatising B, Chaudhry R, Shah ND, Van Houten H, et al. A randomized controlled trial of telemonitoring in older adults with multiple health issues to prevent hospitalizations and emergency department visits. Arch Intern Med 2012;172:773-9. http://dx.doi.org/10.1001/archinternmed.2012.256

Stehlik J, Schmalfuss C, Bozkurt B, Nativi-Nicolau J, Wohlfahrt P, Wegerich S, et al. Continuous Wearable Monitoring Analytics Predict Heart Failure Hospitalization: The LINK-HF Multicenter Study. Circ Heart Fail 2020;13:e006513. http://dx.doi.org/10.1161/CIRCHEARTFAILURE.119.006513.

Tabla de conflictos de interés de los autores

| Miembro del equipo de redacci n | Lugar de trabajo | Honorarios/ Presentaci n oral/ Consultor a | Oficina de los redactores | Investigaci n* | Becas | Propietario/ Socio/ Director/ Accionista mayoritario | Acciones u opciones burs tiles | Propiedad intelectual/ Regal as | Otros |
|---|---|---|---|---|---|---|---|---|---|
| Niraj Varma, MA, MD, PhD, FACC, FRCP (Presidente) | Cleveland Clinic, Cleveland, Ohio | No relevantes | No | No | No | No | No | No | No |
| Iwona Cygankiewicz, MD, PhD (Vicepresidente) | Medical University of Lodz, Lodz, Poland | No | No | No | No | No | No | No | 0: ISHNE (Presidente, 2019-2021) |
| Mintu P. Turakhia, MD, MS, FHRS (Vicepresidente de la HRS) | Center for Digital Health, Stanford University, Stanford, California, y VA Palo Alto Health Care System, Palo Alto, California | 1: Pfizer, Inc.; 3: Medtronic; 3: AliveCor; 4: BIOTRONIK; 4: Abbott | No | 5: American Heart Association; 5: Apple; 5: AstraZeneca; 5: Boehringer Ingelheim; 5: Bristol-Myers Squibb; 5: Janssen Pharmaceuticals | No | No | No | No | No |
| Hein Heidbuchel, MD, PhD, FESC, FEHRA (Vicepresidente de la EHRA) | Antwerp University and University Hospital, Antwerp, Belgium | No | No | No | No | No | No | No | No |
| Yufeng Hu, PhD (Vicepresidente de la APHRS) | Taipei Veterans General Hospital, Taipei City, Taiwan | No | No | No | No | No | No | No | No |
| Lin Yee Chen, MD, FHRS | University of Minnesota, Minneapolis, Minnesota | No | No | Subsidios del NIH: R01HL141288 y R01 HL126637 | No | No | No | No | No |
| Jean-Phillippe Couderc, MBA, PhD | University of Rochester, New York | ERT | No | No | No | VPG Medical, Inc.; ERT | No | No | No |
| Edmond M. Cronin, MBChB, FHRS, CCDS, CEPS-A | Temple University, Philadelphia, Pennsylvania Cleveland Clinic, | No | No | No | No | No | No | No | No |
| Jerry Estep, MD | Cleveland, Ohio | Grupo Medtronic; Abbott; Newpulse; Getinge | No | No | No | No | No | No | No |
| Lars Grieten, PhD, MSc | Hasselt University, Hasselt, Belgium | No | No | No | No | 0: FibriCheck | No | No | No |
| Deirdre A. Lane, PhD, FHEA, FESC | Institute of Cardiovascular Sciences, University of Birmingham, Birmingham, United Kingdom | Bristol-Myers Squibb /Pfizer, Boehringer Ingelheim, y Daiichi-Sankyo | No | No | No | No | No | No | No |
| Reena Mehra, MD | Cleveland Clinic; Cleveland, Ohio | No | No | NIHLBI [U01HL125177, UG3HL140144]; AHA | No | No | No | No | No |
| Alex Page PhD | Neurology Dept. University of Rochester | No | No | No | No | No | No | No | No |
| Rod S. Passman, MD, FHRS | Northwestern University, Evanston, Illinois | 1: Medtronic; 1: Janssen Pharmaceuticals Abbott | No | AHA Foundation; Pfizer; Medtronic | No | No | No | 2: Hasta la fecha | No |

*(contin a)*

*(continuaci n)*

| Miembro del equipo de redacci n | Lugar de trabajo | Honorarios/ Presentaci n oral/ Consultor a | Oficina de los redactores | Investigaci n* | Becas | Propietario/ Socio/ Director/ Accionista mayoritario | Acciones u opciones burs tiles | Propiedad intelectual/ Regal as | Otros |
|---|---|---|---|---|---|---|---|---|---|
| Jonathan P. Piccini, Sr., MD, MHS, FHRS | Duke University Medical Center, Durham, North Carolina | Abbott, Allergan, ARCA Biopharma, Biotronik, Boston Scientific, LivaNova, Medtronic, Milestone, Myokardia, Sanofi, Philips | No | Abbott, Association for the Advancement of Medical Instrumentation, Bayer, Boston Scientific, y Philips | No | No | No | No | No |
| Ewa Piotrowicz, MD, PhD | Cardinal Stefan Wyszynski National Institute of Cardiology, Warsaw, Poland | No | No | No | No | No | No | No | No |
| Ryszard Piotrowicz, MD, PhD | Cardinal Stefan Wyszynski National Institute of Cardiology, Warsaw, Poland | No | No | No | No | No | No | No | No |
| Pyotr G. Platonov, MD, PhD, FHRS | Lund University, Lund, Sweden | No | No | No | No | No | No | No | No |
| Antonio Luiz Ribeiro, MD, PhD | Universidade Federal de Minas Gerais, Belo Horizonte, Brazil | No | No | No | No | No | No | No | El Dr Ribeiro es financiado parcialmente por CNPq (310679/2016-8 y 465518/2014-1) y FAPEMIG (PPM-00428-17). |
| Robert Rich BA, MBA, PhD (Hon) | Chairman - Rich Products Corp.; Chairman Emeritus | No | No | No | No | No | No | No | No |
| Andrea M. Russo, MD, FHRS, FACC | Cleveland Clinic Cooper Medical School of Rowan University, Camden, New Jersey | No | No | No | No | No | No | 1: Hasta la fecha | 0: ABIM (Miembro, ABIM Consejo Cardiovascular); 0: ABMS (Miembro del Comit Asesor o Consejos de Revisi n); 0: Apple Inc. (Comit de Direcci n del Apple Heart Study); 0: (Comit de Direcci n de Boston Scientific, Investigaci n) |
| David J. Slotwiner, MD, FHRS | NewYork-Presbyterian Queens, Flushing, New York, and Cardiology Division, Weill Cornell Medical College, New York, New York | No | No | No | No | No | No | No | No |
| Jonathan S. Steinberg, MD, FHRS | University of Rochester, Rochester, New York | ABIM; Allergan; AtriCure, Inc.; Corfigo; Medtronic; National Cardiac; Omron | No | National Institutes of Health | None | None | AliveCor | No | No |
| Emma Svennberg, MD | Karolinska Institutet Danderyds Hospital, Solna, Sweden | 1: Bayer Healthcare Pharmaceuticals; 1: Boehringer Ingelheim; 1: Bristol-Myers Squibb; 1: Merck; 1: Pfizer, Inc.; 1: Sanofi | No | 4: Roche Diagnostics | No | No | No | No | No |